Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Remove-AzApplicationGatewayIdentity'

PS:\>Get-HELP Remove-AzApplicationGatewayIdentity -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

    Remove-AzApplicationGatewayIdentity

SYNOPSIS

    Removes a identity from an application gateway.

SYNTAX

    Remove-AzApplicationGatewayIdentity   -ApplicationGateway <Microsoft.Azure.Commands.Network.Models.PSApplicationGateway> [-DefaultProfile

    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

    Remove-AzApplicationGatewayIdentity cmdlet removes identity from an application gateway.

PARAMETERS

  -ApplicationGateway <Microsoft.Azure.Commands.Network.Models.PSApplicationGateway>

    The applicationGateway

    Required?   true

    Position?   named

    Default value   None

    Accept pipeline input?   True (ByValue)

    Accept wildcard characters? false

  -DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

    The credentials, account, tenant, and subscription used for communication with Azure.

    Required?   false

    Position?   named

    Default value   None

    Accept pipeline input?   False

    Accept wildcard characters? false

  -Confirm <System.Management.Automation.SwitchParameter>

    Prompts you for confirmation before running the cmdlet.

    Required?   false

    Position?   named

    Default value   False

    Accept pipeline input?   False

    Accept wildcard characters? false

  -WhatIf <System.Management.Automation.SwitchParameter>

    Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?   false

Position?   named

Default value   False

Accept pipeline input?   False

Accept wildcard characters? false

    <CommonParameters>

    This cmdlet supports the common parameters: Verbose, Debug,

    ErrorAction, ErrorVariable, WarningAction, WarningVariable,

    OutBuffer, PipelineVariable, and OutVariable. For more information, see

    about_CommonParameters (https:/go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

    Microsoft.Azure.Commands.Network.Models.PSApplicationGateway

OUTPUTS

    Microsoft.Azure.Commands.Network.Models.PSApplicationGateway

NOTES

    -------------------------- Example 1 --------------------------

    $appgw = Remove-AzApplicationGatewayIdentity -ApplicationGateway $appgw

    $updatedgateway = Set-AzApplicationGateway -ApplicationGateway $appgw

    In this example, we remove identity from an existing application gateway. Note: If the gateway is referencing a key vault

secret, then it is also important to remove

those ssl certificate references along this operation.

RELATED LINKS

Online Version: https://learn.microsoft.com/powershell/module/az.network/remove-azapplicationgatewayidentity