



Windows PowerShell Get-Help on Cmdlet 'Remove-AzApplicationGatewaySslCertificate'

PS:\>Get-HELP Remove-AzApplicationGatewaySslCertificate -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

Remove-AzApplicationGatewaySslCertificate

SYNOPSIS

Removes an SSL certificate from an Azure application gateway.

SYNTAX

```

Remove-AzApplicationGatewaySslCertificate -ApplicationGateway
<Microsoft.Azure.Commands.Network.Models.PSApplicationGateway> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name
<System.String> [<CommonParameters>]
```

DESCRIPTION

The Remove-AzApplicationGatewaySslCertificate cmdlet removes a Secure Sockets Layer (SSL) certificate from an

Azure application gateway.

PARAMETERS

-ApplicationGateway <Microsoft.Azure.Commands.Network.Models.PSApplicationGateway>

Specifies the application gateway from which this cmdlet removes an SSL certificate.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

Specifies the name of an SSL certificate that this cmdlet removes.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGateway

OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGateway

NOTES

Example 1: Remove an SSL certificate from an application gateway

```
$AppGw = Get-AzApplicationGateway -Name "ApplicationGateway01" -ResourceGroupName "ResourceGroup01"  
Remove-AzApplicationGatewaySslCertificate -ApplicationGateway $AppGw -Name "Cert02"  
Set-AzApplicationGateway -ApplicationGateway $AppGw
```

The first command gets the application gateway named ApplicationGateway01 and stores the result in the variable named \$AppGw. The second command removes the SSL

certificate named Cert02 from the application gateway stored in the \$AppGw variable. The last command "Set-AzApplicationGateway" updates the application gateway configuration changes to the \$AppGw variable that holds the current configuration of Application gateway.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.network/remove-azapplicationgatewaysslcertificate>

[Add-AzApplicationGatewaySslCertificate](#)

[Get-AzApplicationGatewaySslCertificate](#)

[New-AzApplicationGatewaySslCertificate](#)

[Set-AzApplicationGatewaySslCertificate](#)