



Windows PowerShell Get-Help on Cmdlet 'Remove-AzApplicationGatewayTrustedRootCertificate'

PS: \> Get-HELP Remove-AzApplicationGatewayTrustedRootCertificate -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

Remove-AzApplicationGatewayTrustedRootCertificate

SYNOPSIS

Removes a Trusted Root Certificate from an application gateway.

SYNTAX

```
Remove-AzApplicationGatewayTrustedRootCertificate -ApplicationGateway
<Microsoft.Azure.Commands.Network.Models.PSApplicationGateway> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name
<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Remove-AzApplicationGatewayTrustedRootCertificate cmdlet removes a Trusted Root Certificate from an existing

Application Gateway.

PARAMETERS

-ApplicationGateway <Microsoft.Azure.Commands.Network.Models.PSApplicationGateway>

The applicationGateway

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

The name of the TrustedRoot certificate

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGateway

OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGateway

----- Example 1 -----

```
$gw = Get-AzApplicationGateway -Name $appgwName -ResourceGroupName $resgpName  
$gw = Remove-AzApplicationGatewayTrustedRootCertificate -ApplicationGateway $gw -Name "myRootCA"  
$gw = Set-AzApplicationGateway -ApplicationGateway $gw
```

The first command gets an application gateway and stores it in the \$gw variable. The second command removes the trusted root certificate named myRootCA from the application gateway stored in \$gw. The third command updates the application gateway on Azure.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.network/remove-azapplicationgatewaytrustedrootcertificate>

Add-AzApplicationGatewayTrustedRootCertificate

Get-AzApplicationGatewayTrustedRootCertificate

New-AzApplicationGatewayTrustedRootCertificate

Set-AzApplicationGatewayTrustedRootCertificate