



Windows PowerShell Get-Help on Cmdlet 'Remove-AzAttestationPolicySigner'

PS:\>Get-HELP Remove-AzAttestationPolicySigner -Full

NAME

Remove-AzAttestationPolicySigner

SYNOPSIS

Removes a trusted policy signer for a tenant in Azure Attestation.

SYNTAX

```
Remove-AzAttestationPolicySigner [-Name] <System.String> [-ResourceGroupName] <System.String> [-DefaultProfile  
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Signer  
<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]
```

```
Remove-AzAttestationPolicySigner [-ResourceId] <System.String> [-DefaultProfile  
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Signer  
<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Remove-AzAttestationPolicySigner cmdlet removes a trusted policy signer for a tenant in Azure Attestation.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

Specifies the name of an attestation provider.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceGroupName <System.String>

Specifies the resource group name of an attestation provider.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceId <System.String>

Specifies the ResourceID of an attestation provider.

Required? true

Position? 0
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Signer <System.String>

Specifies the RFC7519 JSON Web Token containing a claim named "maa-policyCertificate" whose value is an RFC7517 JSON Web Key which contains a trusted signing key to remove. The RFC7519 JWT must be signed with one of the existing trusted signing keys.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters](https://go.microsoft.com/fwlink/?LinkID=113216) (https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

System.String

OUTPUTS

Microsoft.Azure.Commands.Attestation.Models.PSPolicySigners

NOTES

----- Example 1 -----

```
$trustedSigner = Get-Content -Path .\trusted.signer.txt
```

```
Remove-AzAttestationPolicySigner -Name pshtest -ResourceGroupName psh-test-rg -Signer $trustedSigner
```

Remove a trusted signer for the Attestation Provider named pshtest .

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.attestation/remove-azattestationpolicysigner> *Page 4/5*

