



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Remove-AzAutomationCredential'

PS:\>Get-HELP Remove-AzAutomationCredential -Full

NAME

Remove-AzAutomationCredential

SYNOPSIS

Removes an Automation credential.

SYNTAX

```
Remove-AzAutomationCredential [-ResourceGroupName] <System.String> [-AutomationAccountName] <System.String>  
[-Name] <System.String> [-DefaultProfile  
 <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]  
 [<CommonParameters>]
```

DESCRIPTION

The Remove-AzAutomationCredential cmdlet removes a credential from Azure Automation.

PARAMETERS

-AutomationAccountName <System.String>

Specifies the name of the Automation account from which this cmdlet removes a credential.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

Specifies the name of the credential that this cmdlet removes.

Required? true

Position? 2

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceGroupName <System.String>

Specifies the name of the resource group for which this cmdlet removes a credential.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see

about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

System.Void

NOTES

----- Example 1: Remove a credential -----

```
Remove-AzAutomationCredential -AutomationAccountName "Contoso17" -Name "ContosoCredential"  
-ResourceGroupName "ResourceGroup01"
```

This command removes a credential named ContosoCredential in the Azure Automation account named Contoso17.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.automation/remove-azautomationcredential>

[Get-AzAutomationCredential](#)

[New-AzAutomationCredential](#)

[Set-AzAutomationCredential](#)