



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Remove-AzBatchApplicationPackage'

PS:\>Get-HELP Remove-AzBatchApplicationPackage -Full

NAME

Remove-AzBatchApplicationPackage

SYNOPSIS

Deletes an application package record and the binary file.

SYNTAX

```
Remove-AzBatchApplicationPackage [-AccountName] <System.String> [-ResourceGroupName] <System.String>
[-ApplicationName] <System.String> [-ApplicationVersion]
                                     <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[<CommonParameters>]
```

DESCRIPTION

The Remove-AzBatchApplicationPackage cmdlet deletes an application package record and the binary file from an Azure Batch account.

PARAMETERS

-AccountName <System.String>

Specifies the name of the Batch account from which this cmdlet deletes an application package.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ApplicationName <System.String>

Specifies the name of the application.

Required? true

Position? 2

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ApplicationVersion <System.String>

Specifies the version of the application.

Required? true

Position? 3

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ResourceGroupName <System.String>

Specifies the name of the resource group that contains the Batch account.

Required? true
Position? 1
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

INPUTS

System.String

OUTPUTS

System.Void

NOTES

Example 1: Delete an application package from a Batch account

```
Remove-AzBatchApplicationPackage -AccountName "ContosoBatch" -ResourceGroupName "ContosoBatchGroup"  
-ApplicationName "litware" -ApplicationVersion "1.0"
```

This command deletes version 1.0 of the Litware application from the ContosoBatchGroup account. The command deletes both the package record and the blob that contain the package binary file.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.batch/remove-azbatchapplicationpackage>

[Get-AzBatchApplication](#)

[Get-AzBatchApplicationPackage](#)

[New-AzBatchApplication](#)

[New-AzBatchApplicationPackage](#)

[Remove-AzBatchApplication](#)

[Set-AzBatchApplication](#)