



Windows PowerShell Get-Help on Cmdlet 'Remove-AzBatchComputeNodeUser'

PS:\>Get-HELP Remove-AzBatchComputeNodeUser -Full

NAME

Remove-AzBatchComputeNodeUser

SYNOPSIS

Deletes a user account from a Batch compute node.

SYNTAX

```
Remove-AzBatchComputeNodeUser [-PoolId] <System.String> [-ComputeNodeId] <System.String> [-Name]
<System.String> -BatchContext
                                     <Microsoft.Azure.Commands.Batch.BatchAccountContext> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Remove-AzBatchComputeNodeUser cmdlet deletes a user account from an Azure Batch compute node.

-BatchContext <Microsoft.Azure.Commands.Batch.BatchAccountContext>

Specifies the BatchAccountContext instance that this cmdlet uses to interact with the Batch service. If you use the Get-AzBatchAccount cmdlet to get your

BatchAccountContext, then Microsoft Entra authentication will be used when interacting with the Batch service. To use shared key authentication instead, use the

Get-AzBatchAccountKey cmdlet to get a BatchAccountContext object with its access keys populated. When using shared key authentication, the primary access key is

used by default. To change the key to use, set the BatchAccountContext.KeyInUse property.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	True (ByValue)
Accept wildcard characters?	false

-ComputeNodeId <System.String>

Specifies the ID of the compute node on which this cmdlet deletes the user account.

Required?	true
Position?	1
Default value	None
Accept pipeline input?	True (ByPropertyName)
Accept wildcard characters?	false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-Name <System.String>

Specifies the name of the user account to delete. You cannot specify wildcard characters.

Required? true

Position? 2

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-PoolId <System.String>

Specifies the ID of the pool that contains the compute node on which to delete the user account.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.Batch.BatchAccountContext

OUTPUTS

System.Void

NOTES

----- Example 1: Delete a user from a compute node -----

```
Remove-AzBatchComputeNodeUser -PoolId "Pool01" -ComputeNodeId "ComputeNode01" -Name "User14"
-BatchContext $Context
```

This command deletes the user named User14 from compute node named ComputeNode01. The compute node is in the

pool named Pool01.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.batch/remove-azbatchcomputenodeuser>

New-AzBatchComputeNodeUser

Get-AzBatchAccountKey

Azure Batch Cmdlets