



Windows PowerShell Get-Help on Cmdlet 'Remove-AzContainerRegistryManifest'

PS:\>Get-HELP Remove-AzContainerRegistryManifest -Full

NAME

Remove-AzContainerRegistryManifest

SYNOPSIS

Delete ACR manifest.

SYNTAX

```

Remove-AzContainerRegistryManifest [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Manifest
<System.String> -RegistryName <System.String> -RepositoryName <System.String> [-Confirm] [-WhatIf]
[<CommonParameters>]

```

```

Remove-AzContainerRegistryManifest [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -RegistryName
<System.String> -RepositoryName <System.String> -Tag <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

```

DESCRIPTION

Delete ACR manifest. To use this cmdlet please run `Update-AzContainerRegistryRepository -RegistryName XXX

-Repository XXX -DeleteEnable \$true` first.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Manifest <System.String>

Manifest reference.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-RegistryName <System.String>

Azure Container Registry Name.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-RepositoryName <System.String>

Repository Name.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Tag <System.String>

Tag.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see `about_CommonParameters` (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

System.Boolean

NOTES

----- Example 1 -----

```
Remove-AzContainerRegistryManifest -RegistryName registry -RepositoryName test/busybox27 -Manifest  
sha256:31a54a0cf86d7354788a8265f60ae6acb4b348a67efbcf7c1007dd3cf7af05ab
```

True

Delete manifest sha256:31a54a0cf86d7354788a8265f60ae6acb4b348a67efbcf7c1007dd3cf7af05ab for repository test/busybox27 under registry

----- Example 2 -----

```
Remove-AzContainerRegistryManifest -RegistryName registry -RepositoryName test/busybox27 -Tag latest
```

```
True
```

Delete manifest with tag latest for repository test/busybox27 under registry

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.containerregistry/remove-azcontainerregistrymanifest>