



Windows PowerShell Get-Help on Cmdlet 'Remove-AzDataBoxEdgeDevice'

PS:\>Get-HELP Remove-AzDataBoxEdgeDevice -Full

NAME

Remove-AzDataBoxEdgeDevice

SYNOPSIS

Removes a Data Box Edge device.

SYNTAX

Remove-AzDataBoxEdgeDevice [-AsJob] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputObject

<Microsoft.Azure.PowerShell.Cmdlets.DataBoxEdge.Models.PSDataBoxEdgeDevice> [-PassThru] [-Confirm] [-WhatIf]

[<CommonParameters>]

Remove-AzDataBoxEdgeDevice [-ResourceGroupName] <System.String> [-Name] <System.String> [-AsJob]

[-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru]

[-Confirm] [-WhatIf] [<CommonParameters>]

Remove-AzDataBoxEdgeDevice [-AsJob] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru] Page 1/5

-ResourceId <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The Remove-AzDataBoxEdgeDevice cmdlet removes the configuration for a Data Box Edge device. Note that the device can only be deleted after you have placed the order and before the device is prepared by Microsoft for shipment.

Refer the documentation on Deleting the resource before using this cmdlet

(<https://learn.microsoft.com/azure/databox-online/data-box-edge-return-device#delete-the-resource>)

PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.PowerShell.Cmdlets.DataBoxEdge.Models.PSDataBoxEdgeDevice>

Input Object

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-Name <System.String>

Resource Name

Required? true
Position? 1
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

returns true if successful

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-ResourceGroupName <System.String>

Resource Group Name

Required? true
Position? 0
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ResourceId <System.String>

Azure ResourceId

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.PowerShell.Cmdlets.DataBoxEdge.Models.PSDataBoxEdgeDevice

OUTPUTS

System.Boolean

NOTES

----- Example 1 -----

Remove-AzDataBoxEdgeDevice -ResourceGroupName resourceGroupName -Name deviceName

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.databoxedge/remove-azdataboxedgedevice>