



**Full credit is given to all the above companies including the Operating System that this PDF file was generated!**

### **Windows PowerShell Get-Help on Cmdlet 'Remove-AzDataFactoryV2IntegrationRuntime'**

**PS:\>Get-HELP Remove-AzDataFactoryV2IntegrationRuntime -Full**

#### **NAME**

Remove-AzDataFactoryV2IntegrationRuntime

#### **SYNOPSIS**

Removes an integration runtime.

#### **SYNTAX**

```
Remove-AzDataFactoryV2IntegrationRuntime [-ResourceGroupName] <System.String> [-DataFactoryName]
<System.String> [-Name] <System.String> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force]
[-LinkedDataFactoryName <System.String>] [-Confirm] [-WhatIf]
[<CommonParameters>]
```

Remove-AzDataFactoryV2IntegrationRuntime [-InputObject]

```
<Microsoft.Azure.Commands.DataFactoryV2.Models.PSIntegrationRuntime> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force]
[-LinkedDataFactoryName <System.String>] [-Confirm] [-WhatIf]
[<CommonParameters>]
```

```
Remove-AzDataFactoryV2IntegrationRuntime [-ResourceId] <System.String> [-DefaultProfile  
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force]  
[-LinkedDataFactoryName <System.String>] [-Confirm] [-WhatIf]  
[<CommonParameters>]
```

## DESCRIPTION

The Remove-AzDataFactoryV2IntegrationRuntime cmdlet removes a integration runtime.

## PARAMETERS

-DataFactoryName <System.String>

The data factory name.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Runs the cmdlet without prompting for confirmation.

Required? false

Page 2/6

Position? named  
Default value False  
Accept pipeline input? False  
Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.DataFactoryV2.Models.PSIntegrationRuntime>

The integration runtime object.

Required? true  
Position? 0  
Default value None  
Accept pipeline input? True (ByValue)  
Accept wildcard characters? false

-LinkedDataFactoryName <System.String>

The linked data factory name.

Required? false  
Position? named  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

-Name <System.String>

The integration runtime name.

Required? true  
Position? 2  
Default value None  
Accept pipeline input? True (ByPropertyName)  
Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

#### -ResourceId <System.String>

The Azure resource ID.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

#### -Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

#### -WhatIf <System.Management.Automation.SwitchParameter>

Shows what happens if the cmdlet runs, but doesn't run the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

#### <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

#### INPUTS

System.String

Microsoft.Azure.Commands.DataFactoryV2.Models.PSIntegrationRuntime

#### OUTPUTS

System.Void

#### NOTES

Keywords: azure, azurerm, arm, resource, management, manager, data, factories, copy, activities, integration runtime

----- Example 1: Remove a integration runtime -----

```
Remove-AzDataFactoryV2IntegrationRuntime -ResourceGroupName 'rg-test-dfv2' -DataFactoryName 'test-df' -Name 'test-reserved-ir' -Confirm
```

This command removes the integration runtime named 'test-reserved-ir' from the data factory named 'test-df'. This command returns a value of \$True.

## RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.datafactory/remove-azdatafactoryv2integrationruntime>

[Set-AzDataFactoryV2IntegrationRuntime](#)

[Get-AzDataFactoryV2IntegrationRuntime](#)