



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Remove-AzDataFactoryV2IntegrationRuntimeNode'

PS:\>Get-HELP Remove-AzDataFactoryV2IntegrationRuntimeNode -Full

NAME

Remove-AzDataFactoryV2IntegrationRuntimeNode

SYNOPSIS

Remove a node with the given name on an integration runtime.

SYNTAX

```
Remove-AzDataFactoryV2IntegrationRuntimeNode [-ResourceGroupName] <System.String> [-DataFactoryName]
<System.String> [-IntegrationRuntimeName] <System.String>
[-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-Force] -NodeName <System.String> [-Confirm] [-WhatIf]
[<CommonParameters>]
```

Remove-AzDataFactoryV2IntegrationRuntimeNode [-InputObject]

```
<Microsoft.Azure.Commands.DataFactoryV2.Models.PSIntegrationRuntime> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] -NodeName
<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]
```

Remove-AzDataFactoryV2IntegrationRuntimeNode [-ResourceId] <System.String> [-DefaultProfile

Page 1/6

```
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer> [-Force] -NodeName  
<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Remove-AzDataFactoryV2IntegrationRuntimeNode cmdlet removes a node in an integration runtime.

PARAMETERS

-DataFactoryName <System.String>

The data factory name.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Runs the cmdlet without prompting for confirmation.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.DataFactoryV2.Models.PSIntegrationRuntime>

The integration runtime object.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-IntegrationRuntimeName <System.String>

The integration runtime name.

Required? true

Position? 2

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-NodeName <System.String>

The integration runtime node name.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name.

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-ResourceId <System.String>

The Azure resource ID.

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what happens if the cmdlet runs, but doesn't run the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.DataFactoryV2.Models.PSIntegrationRuntime

OUTPUTS

System.Void

NOTES

----- Example 1: Remove a node from an integration runtime -----

```
Remove-AzDataFactoryV2IntegrationRuntimeNode -DataFactoryName 'test-df-eu2' -IntegrationRuntimeName  
'test-selfhost-ir' -NodeName 'Node_1' -ResourceGroupName  
'rg-test-dfv2'
```

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.datafactory/remove-azdatafactoryv2integrationruntimenode>