



Windows PowerShell Get-Help on Cmdlet 'Remove-AzDataLakeStoreItem'

PS:\>Get-HELP Remove-AzDataLakeStoreItem -Full

NAME

Remove-AzDataLakeStoreItem

SYNOPSIS

Deletes a file or folder in Data Lake Store.

SYNTAX

```

Remove-AzDataLakeStoreItem [-Account] <System.String> [-Paths]
<Microsoft.Azure.Commands.DataLakeStore.Models.DataLakeStorePathInstance[]> [[-Recurse]] [[-Force]]
                                                    [[-PassThru]] [-DefaultProfile]
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer> [-Confirm] [-WhatIf]
[<CommonParameters>]

```

DESCRIPTION

The Remove-AzDataLakeStoreItem cmdlet deletes a file or folder in Data Lake Store.

-Account <System.String>

Specifies the name of the Data Lake Store account.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Forces the command to run without asking for user confirmation.

Required? false

Position? 4

Default value False

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

Required? false

Position? 5

Default value False

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Paths <Microsoft.Azure.Commands.DataLakeStore.Models.DataLakeStorePathInstance[]>

Specifies an array of Data Lake Store paths of the files to remove, starting with the root directory (/).

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Recurse <System.Management.Automation.SwitchParameter>

Indicates that this operation deletes all items in the target folder, including subfolders.

Required? false

Position? 2

Default value False

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.DataLakeStore.Models.DataLakeStorePathInstance[]

System.Management.Automation.SwitchParameter

OUTPUTS

System.Boolean

NOTES

----- Example 1: Remove multiple items -----

```
Remove-AzDataLakeStoreItem -AccountName "ContosoADL" -Paths "/File01.txt","/MyFiles/File.csv"
```

This command removes the files File01.txt and File.csv from the Data Lake Store.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.datalakestore/remove-azdatalakestoreitem>

Get-AzDataLakeStoreItem

Export-AzDataLakeStoreItem

Import-AzDataLakeStoreItem

Join-AzDataLakeStoreItem

New-AzDataLakeStoreItem

Test-AzDataLakeStoreItem