



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Remove-AzDeploymentScript'

PS:\>Get-HELP Remove-AzDeploymentScript -Full

NAME

Remove-AzDeploymentScript

SYNOPSIS

Removes a deployment script and its associated resources.

SYNTAX

Remove-AzDeploymentScript [-Id] <System.String> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

[-PassThru] [-Confirm] [-WhatIf] [<CommonParameters>]

Remove-AzDeploymentScript [-InputObject]

<Microsoft.Azure.Commands.ResourceManager.Cmdlets.SdkModels.PsDeploymentScript> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer> [-PassThru]

[-Confirm] [-WhatIf] [<CommonParameters>]

Remove-AzDeploymentScript [-ResourceGroupName] <System.String> [-Name] <System.String> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer> [-PassThru]

[-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The Remove-AzDeploymentScript cmdlet removes a deployment script and its associated resources.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Id <System.String>

The fully qualified resource Id of the deployment script. Example:

```
/subscriptions/{subId}/resourceGroups/{rgName}/providers/Microsoft.Resources/deploymentScripts/{deploymentScriptName}  
}
```

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.ResourceManager.Cmdlets.SdkModels.PsDeploymentScript>

The deployment script PowerShell object.

Required? true

Position? 0

Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-Name <System.String>

The name of the resource group.

Required? true
Position? 1
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

{Fill PassThru Description}}

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-ResourceGroupName <System.String>

The name of the resource group.

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.ResourceManager.Cmdlets.SdkModels.PsDeploymentScript

OUTPUTS

Microsoft.Azure.Commands.ResourceManager.Cmdlets.SdkModels.PsDeploymentScript

NOTES

----- Example 1 -----

```
Remove-AzDeploymentScript -Name MyDeploymentScript -ResourceGroupName DS-TestRg
```

Deletes a deployment script with the name MyDeploymentScript in resource group DS-TestRG.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.resources/remove-azdeploymentscript>