



## ***Windows PowerShell Get-Help on Cmdlet 'Remove-AzIotHubMessageEnrichment'***

***PS:\>Get-HELP Remove-AzIotHubMessageEnrichment -Full***

### NAME

Remove-AzIotHubMessageEnrichment

### SYNOPSIS

Delete a message enrichment in your IoT hub.

### SYNTAX

Remove-AzIotHubMessageEnrichment [-InputObject]

<Microsoft.Azure.Commands.Management.IotHub.Models.PSIotHub> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Key

<System.String>] [-PassThru] [-Confirm] [-WhatIf] [<CommonParameters>]

Remove-AzIotHubMessageEnrichment [-ResourceGroupName] <System.String> [-Name] <System.String>

[-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Key

<System.String>] [-PassThru] [-Confirm] [-WhatIf] [<CommonParameters>]

Remove-AzIotHubMessageEnrichment [-ResourceId] <System.String> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Key

<System.String>] [-PassThru] [-Confirm] [-WhatIf] [<CommonParameters>]

## DESCRIPTION

For a detailed explanation of message enrichments in Azure IoT Hub, see <https://learn.microsoft.com/azure/iot-hub/iot-hub-message-enrichments-overview>

## PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.Management.IotHub.Models.PSIotHub>

IotHub object

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Key <System.String>

The enrichment's key.

Required? false

Position? named

Default value None

Accept pipeline input? False  
Accept wildcard characters? false

**-Name <System.String>**

Name of the Iot Hub

Required? true  
Position? 1  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

**-PassThru <System.Management.Automation.SwitchParameter>**

Allows to return the boolean object. By default, this cmdlet does not generate any output.

Required? false  
Position? named  
Default value False  
Accept pipeline input? False  
Accept wildcard characters? false

**-ResourceGroupName <System.String>**

Name of the Resource Group

Required? true  
Position? 0  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

**-ResourceId <System.String>**

IoT Hub Resource Id

Required? true  
Position? 0  
Default value None  
Accept pipeline input? True (ByPropertyName)  
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false  
Position? named  
Default value False  
Accept pipeline input? False  
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false  
Position? named  
Default value False  
Accept pipeline input? False  
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about\\_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

## INPUTS

Microsoft.Azure.Commands.Management.IotHub.Models.PSlotHub

System.String

## OUTPUTS

System.Boolean

## NOTES

----- Example 1 -----

```
Remove-AzIotHubMessageEnrichment -ResourceGroupName "myresourcegroup" -Name "myiothub" -Key "newKey"  
-Passthru
```

True

Deletes "newKey" message enrichment.

## RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.iothub/remove-aziothubmessageenrichment>