



Windows PowerShell Get-Help on Cmdlet 'Remove-AzKeyVaultCertificateContact'

PS:\>Get-HELP Remove-AzKeyVaultCertificateContact -Full

NAME

Remove-AzKeyVaultCertificateContact

SYNOPSIS

Deletes a contact that is registered for certificate notifications from a key vault.

SYNTAX

```
Remove-AzKeyVaultCertificateContact [-InputObject] <Microsoft.Azure.Commands.KeyVault.Models.PSKeyVault>
[-EmailAddress] <System.String[]> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru]
[-Confirm] [-WhatIf] [<CommonParameters>]
```

```
Remove-AzKeyVaultCertificateContact [-ResourceId] <System.String> [-EmailAddress] <System.String[]> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru]
[-Confirm] [-WhatIf] [<CommonParameters>]
```

```
Remove-AzKeyVaultCertificateContact [-VaultName] <System.String> [-EmailAddress] <System.String[]> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru]
```

[-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The Remove-AzKeyVaultCertificateContact cmdlet deletes a contact that is registered for certificate notifications from a key vault.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-EmailAddress <System.String[]>

Specifies the email address of the contact to remove.

Required? true

Position? 1

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.KeyVault.Models.PSKeyVault>

KeyVault object.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ResourceId <System.String>

KeyVault Resource Id.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-VaultName <System.String>

Specifies the name of a key vault.

Required? true

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

Microsoft.Azure.Commands.KeyVault.Models.PSKeyVault

System.String

OUTPUTS

Microsoft.Azure.Commands.KeyVault.Models.PSKeyVaultCertificateContact

NOTES

----- Example 1: Remove a certificate contact -----

```
Remove-AzKeyVaultCertificateContact -VaultName "Contoso01" -EmailAddress "patti.fuller@contoso.com" -PassThru
```

Email	VaultName
-----	-----
user1@microsoft.com	mvault2
user2@microsoft.com	mvault2
user3@microsoft.com	mvault2
user4@microsoft.com	mvault2

This command removes Patti Fuller as a certificate contact for the Contoso01 key vault. If PassThru is specified, the cmdlet returns the list of remaining certificate contacts.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.keyvault/remove-azkeyvaultcertificatecontact>

Add-AzKeyVaultCertificateContact

Get-AzKeyVaultCertificateContact