



Windows PowerShell Get-Help on Cmdlet 'Remove-AzLogicApp'

PS:\>Get-HELP Remove-AzLogicApp -Full

NAME

Remove-AzLogicApp

SYNOPSIS

Removes a logic app from a resource group.

SYNTAX

```

Remove-AzLogicApp [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] -Name
<System.String>
-ResourceGroupName <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

```

DESCRIPTION

The Remove-AzLogicApp cmdlet removes a logic app from a resource group by using the Logic Apps feature. Specify the logic app and resource group. This module supports

dynamic parameters. To use a dynamic parameter, type it in the command. To discover the names of dynamic parameters, type a hyphen (-) after the cmdlet name, and then

press the Tab key repeatedly to cycle through the available parameters. If you omit a required template parameter, the

cmdlet prompts you for the value.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Forces the command to run without asking for user confirmation.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

Specifies the name of the logic app that this cmdlet removes.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Specifies the name of the resource group that contains the logic app that this cmdlet removes.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

System.String

OUTPUTS

System.Void

NOTES

----- Example 1: Remove a logic app -----

```
Remove-AzLogicApp -ResourceGroupName "ResourceGroup11" -Name "LogicApp03" -Force
```

This command removes a logic app from a resource group. The command includes the Force parameter, which prevents the command from prompting you for confirmation.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.logicapp/remove-azlogicapp>

Get-AzLogicApp

New-AzLogicApp

Set-AzLogicApp

Start-AzLogicApp