



## ***Windows PowerShell Get-Help on Cmdlet 'Remove-AzManagementGroupDeployment'***

***PS:\>Get-HELP Remove-AzManagementGroupDeployment -Full***

### NAME

Remove-AzManagementGroupDeployment

### SYNOPSIS

Removes a deployment at a management group and any associated operations

### SYNTAX

```

Remove-AzManagementGroupDeployment [-AsJob] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Id
<System.String> [-PassThru] [-Pre] [-Confirm] [-WhatIf] [<CommonParameters>]

```

```

Remove-AzManagementGroupDeployment [-AsJob] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputObject
<Microsoft.Azure.Commands.ResourceManager.Cmdlets.SdkModels.PSDeployment> [-PassThru] [-Pre] [-Confirm]
[-WhatIf] [<CommonParameters>]

```

```

Remove-AzManagementGroupDeployment [-ManagementGroupId] <System.String> [-Name] <System.String> [-AsJob]
[-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru] [-Pre]

```

[-Confirm] [-WhatIf] [<CommonParameters>]

## DESCRIPTION

The Remove-AzManagementGroupDeployment cmdlet removes an Azure deployment at a management group and any associated operations.

## PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Id <System.String>

The fully qualified resource Id of the deployment. example:

/providers/Microsoft.Management/managementGroups/{managementGroupId}/providers/Microsoft.Resources/deployments/  
{deploymentName}

Required? true  
Position? named  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.ResourceManager.Cmdlets.SdkModels.PSDeployment>

The deployment object.

Required? true  
Position? named  
Default value None  
Accept pipeline input? True (ByValue)  
Accept wildcard characters? false

-ManagementGroupId <System.String>

The management group id.

Required? true  
Position? 0  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

-Name <System.String>

The name of the deployment.

Required? true  
Position? 1  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

{{ Fill PassThru Description }}

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-Pre <System.Management.Automation.SwitchParameter>

When set, indicates that the cmdlet should use pre-release API versions when automatically determining which version to use.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value            False  
Accept pipeline input?    False  
Accept wildcard characters? false

#### <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

#### INPUTS

Microsoft.Azure.Commands.ResourceManager.Cmdlets.SdkModels.PSDeployment

#### OUTPUTS

System.Boolean

#### NOTES

----- Example 1: Remove a deployment with a given name -----

Remove-AzManagementGroupDeployment -ManagementGroupId "myMG" -Name "RolesDeployment"

This command removes the deployment "RolesDeployment" at the management group "myMG".

----- Example 2: Get a deployment and remove it -----

```
Get-AzManagementGroupDeployment -ManagementGroupId "myMG" -Name "RolesDeployment" |  
Remove-AzManagementGroupDeployment
```

This command gets the deployment "RolesDeployment" at the management group "myMG" and removes it.

#### RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.resources/remove-azmanagementgroupdeployment>