



Windows PowerShell Get-Help on Cmdlet 'Remove-AzOperationalInsightsDataExport'

PS:\>Get-HELP Remove-AzOperationalInsightsDataExport -Full

NAME

Remove-AzOperationalInsightsDataExport

SYNOPSIS

Delete data export for workspace.

SYNTAX

```

Remove-AzOperationalInsightsDataExport [-ResourceGroupName] <System.String> [-WorkspaceName]
<System.String> [-DataExportName] <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]
[<CommonParameters>]

Remove-AzOperationalInsightsDataExport [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputDataExport
<Microsoft.Azure.Commands.OperationalInsights.Models.PSDataExport> [-Confirm] [-WhatIf] [<CommonParameters>]

Remove-AzOperationalInsightsDataExport [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -ResourceId
<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

```

DESCRIPTION

Deletes a data export for a given workspace

PARAMETERS

-DataExportName <System.String>

The data export name.

Required? true

Position? 2

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputDataExport <Microsoft.Azure.Commands.Operationallnsights.Models.PSDataExport>

Specifies the DataExport to be updated.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name.

Required? true

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceId <System.String>

The destination resource ID. This can be copied from the Properties entry of the destination resource in Azure.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-WorkspaceName <System.String>

The name of the workspace that will contain the storage insight.

Required? true

Position? 1

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.OperationalInsights.Models.PSDataExport

System.String

OUTPUTS

System.Boolean

----- Example 1 -----

```
Remove-AzOperationalInsightsDataExport -ResourceGroupName "rg-name" -WorkspaceName "workspace-name"  
-DataExportName "dataExportName"
```

removed data export

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.operationalinsights/remove-azoperationalinsightsdataexport>