



Windows PowerShell Get-Help on Cmdlet 'Remove-AzOperationalInsightsDataSource'

PS:\>Get-HELP Remove-AzOperationalInsightsDataSource -Full

NAME

Remove-AzOperationalInsightsDataSource

SYNOPSIS

Deletes a data source.

SYNTAX

```
Remove-AzOperationalInsightsDataSource [-ResourceGroupName] <System.String> [-WorkspaceName]
<System.String> [-Name] <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] [-Confirm]
[-WhatIf] [<CommonParameters>]
```

```
Remove-AzOperationalInsightsDataSource [-Workspace]
<Microsoft.Azure.Commands.OperationalInsights.Models.PSWorkspace> [-Name] <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] [-Confirm]
[-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Remove-AzOperationalInsightsDataSource cmdlet deletes a data source.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Forces the command to run without asking for user confirmation.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

Specifies the name of a data source to delete.

Required? true

Position? 3

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceGroupName <System.String>

Specifies the name of a resource group that contains computers.

Required? true
Position? 1
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Workspace <Microsoft.Azure.Commands.OperationalInsights.Models.PSWorkspace>

Specifies a workspace in which this cmdlet operates.

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-WorkspaceName <System.String>

Specifies the name of a workspace in which this cmdlet operates.

Required? true
Position? 2
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Operationallnsights.Models.PSWorkspace

System.String

OUTPUTS

System.Void

NOTES

----- Example 1 -----

```
Remove-AzOperationalInsightsDataSource -ResourceGroupName testrg -WorkspaceName LogAnalyticsWorkspace  
-Name DataSource_CustomLog_Customlog_CL
```

Delete a data source.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.operationalinsights/remove-azoperationalinsightsdatasource>

Get-AzOperationalInsightsDataSource

Set-AzOperationalInsightsDataSource