



Windows PowerShell Get-Help on Cmdlet 'Remove-AzOperationalInsightsSavedSearch'

PS:\>Get-HELP Remove-AzOperationalInsightsSavedSearch -Full

NAME

Remove-AzOperationalInsightsSavedSearch

SYNOPSIS

Removes a saved search from the workspace.

SYNTAX

```
Remove-AzOperationalInsightsSavedSearch [-ResourceGroupName] <System.String> [-WorkspaceName]
<System.String> [-SavedSearchId] <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]
[<CommonParameters>]
```

DESCRIPTION

The Remove-AzOperationalInsightsSavedSearch cmdlet removes a saved search from the workspace.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-ResourceGroupName <System.String>

Specifies the workspace name.

Required?	true
Position?	0
Default value	None
Accept pipeline input?	True (ByPropertyName)
Accept wildcard characters?	false

-SavedSearchId <System.String>

Specifies the saved search ID.

Required?	true
Position?	2
Default value	None
Accept pipeline input?	True (ByPropertyName)
Accept wildcard characters?	false

-WorkspaceName <System.String>

Specifies the workspace name.

Required?	true
Position?	1
Default value	None
Accept pipeline input?	True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

System.Void

NOTES

----- Example 1: Remove a saved search -----

```
Remove-AzOperationalInsightsSavedSearch -ResourceGroupName "ContosoResourceGroup" -WorkspaceName  
"ContosoWorkspace" -SavedSearchId "ContosoSavedSearchId"
```

This command removes a saved search from the workspace.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.operationalinsights/remove-azoperationalinsightssavedsearch>

Azure Operational Insights Cmdlets