



Windows PowerShell Get-Help on Cmdlet 'Remove-AzRecoveryServicesAsrFabric'

PS:\>Get-HELP Remove-AzRecoveryServicesAsrFabric -Full

NAME

Remove-AzRecoveryServicesAsrFabric

SYNOPSIS

Deletes the specified Azure Site Recovery Fabric from the Recovery Services vault.

SYNTAX

```
Remove-AzRecoveryServicesAsrFabric [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] -InputObject
<Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRFabric> [-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Remove-AzRecoveryServicesAsrFabric cmdlet removes the specified Azure Site Recovery fabric from the Recovery services vault.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Force the command to run without providing an additional warning.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRFabric>

The input object to the cmdlet: The ASR fabric object corresponding to the fabric to be deleted.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Specify if confirmation is required. Set the value of the confirm parameter to \$false in order to skip confirmation.

Required? false
Position? named
Default value False
Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet is executed without actually executing the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRFabric

OUTPUTS

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRJob

NOTES

```
$currentJob = Remove-AzRecoveryServicesAsrFabric -Fabric $Fabric
```

Starts the deletion of specified fabric and returns the ASR job used to track the operation.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.recoveryservices/remove-azrecoveryservicesasrfabric>

[Get-AzRecoveryServicesAsrFabric](#)

[New-AzRecoveryServicesAsrFabric](#)