



Windows PowerShell Get-Help on Cmdlet 'Remove-AzRecoveryServicesAsrPolicy'

PS:\>Get-HELP Remove-AzRecoveryServicesAsrPolicy -Full

NAME

Remove-AzRecoveryServicesAsrPolicy

SYNOPSIS

Deletes the specified ASR replication policy from the Recovery Services vault.

SYNTAX

```
Remove-AzRecoveryServicesAsrPolicy [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputObject  
<Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRPolicy> [-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Remove-AzRecoveryServicesAsrPolicy cmdlet deleted the specified replication policy from the Recovery Services vault.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRPolicy>

The input object to the cmdlet: The ASR replication policy object corresponding to the replication policy to be deleted.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRPolicy

OUTPUTS

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRJob

NOTES

----- Example 1 -----

```
$currentJob = Remove-AzRecoveryServicesAsrPolicy -Policy $Policy
```

Starts the deletion of the specified replication policy and returns the ASR job used to track the operation.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.recoveryservices/remove-azrecoveryservicesasrpolicy>

Get-AzRecoveryServicesAsrPolicy

New-AzRecoveryServicesAsrPolicy