



Windows PowerShell Get-Help on Cmdlet 'Remove-AzRecoveryServicesAsrProtectionContainerMapping'

PS:\>Get-HELP Remove-AzRecoveryServicesAsrProtectionContainerMapping -Full

NAME

Remove-AzRecoveryServicesAsrProtectionContainerMapping

SYNOPSIS

Deletes the specified Azure Site Recovery protection container mapping.

SYNTAX

```
Remove-AzRecoveryServicesAsrProtectionContainerMapping [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>  
[-Force] -InputObject <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRProtectionContainerMapping>  
[-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Remove-AzRecoveryServicesAsrProtectionContainerMapping cmdlet deletes the specified Azure Site Recovery protection container mapping.

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Force the command to run without providing an additional warning.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRProtectionContainerMapping>

The input object to the cmdlet: the ASR protection container mapping object corresponding to the protection container to be deleted.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Specify if confirmation is required. Set the value of the confirm parameter to \$false in order to skip confirmation

Required? false

Position? named

Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet is executed without actually executing the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,
ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRProtectionContainerMapping

OUTPUTS

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRJob

NOTES

----- Example 1 -----

```
$currentJob = Remove-AzRecoveryServicesAsrProtectionContainerMapping -ProtectionContainerMapping  
$ProtectionContainerMapping
```

Starts the deletion of specified protection container mapping and returns the ASR job used to track the operation.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.recoveryservices/remove-azrecoveryservicesasrprotectioncontainermapping>

[Get-AzRecoveryServicesAsrProtectionContainerMapping](#)

[New-AzRecoveryServicesAsrProtectionContainerMapping](#)