



Windows PowerShell Get-Help on Cmdlet 'Remove-AzRecoveryServicesAsrReplicationProtectedItem'

PS:\>Get-HELP Remove-AzRecoveryServicesAsrReplicationProtectedItem -Full

NAME

Remove-AzRecoveryServicesAsrReplicationProtectedItem

SYNOPSIS

Stops/Disables replication for an Azure Site Recovery replication protected item.

SYNTAX

```
Remove-AzRecoveryServicesAsrReplicationProtectedItem [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>  
[-Force] -InputObject <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRReplicationProtectedItem>  
[-WaitForCompletion] [-Confirm] [-WhatIf]  
[<CommonParameters>]
```

DESCRIPTION

The Remove-AzRecoveryServicesAsrReplicationProtectedItem cmdlet disables replication of the specified Azure Site Recovery replication protected item. This operation causes replication to stop for the protected item.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Force the command to run without providing an additional warning.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRReplicationProtectedItem>

The input object to the cmdlet: The ASR replication protected item object corresponding to the replication protected item for which replication is to be disabled.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-WaitForCompletion <System.Management.Automation.SwitchParameter>

Indicates that the cmdlet should wait for the operation to complete before returning.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Specify if confirmation is required. Set the value of the confirm parameter to \$false in order to skip confirmation.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet is executed without actually executing the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRReplicationProtectedItem

OUTPUTS

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRJob

NOTES

----- Example 1 -----

```
$currentJob = Remove-AzRecoveryServicesAsrReplicationProtectedItem -ReplicationProtectedItem  
$ReplicationProtectedItem
```

Starts the disable replication operation for the specified replication protected item and returns the ASR job used to track the operation.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.recoveryservices/remove-azrecoveryservicesasrreplicationprotecteditem>

Get-AzRecoveryServicesAsrReplicationProtectedItem

New-AzRecoveryServicesAsrReplicationProtectedItem

Set-AzRecoveryServicesAsrReplicationProtectedItem