



Windows PowerShell Get-Help on Cmdlet 'Remove-AzRecoveryServicesAsrServicesProvider'

PS:\>Get-HELP Remove-AzRecoveryServicesAsrServicesProvider -Full

NAME

Remove-AzRecoveryServicesAsrServicesProvider

SYNOPSIS

Deletes/unregister the specified Azure Site Recovery recovery services provider from the recovery services vault.

SYNTAX

```
Remove-AzRecoveryServicesAsrServicesProvider [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force]  
-InputObject <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRRecoveryServicesProvider> [-Confirm]  
[-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Remove-AzRecoveryServicesAsrServicesProvider cmdlet removes the specified Azure Site Recovery recovery services provider from the vault.

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Force the command to run without providing an additional warning.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRRecoveryServicesProvider>

The input object to the cmdlet: The ASR recovery services provider object corresponding to the ASR recovery services provider to be deleted.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Specify if confirmation is required. Set the value of the confirm parameter to \$false in order to skip confirmation.

Required? false

Position? named

Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet is executed without actually executing the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,
ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRRecoveryServicesProvider

OUTPUTS

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRJob

NOTES

----- Example 1 -----

```
$currentJob = Remove-AzRecoveryServicesAsrServicesProvider -ServicesProvider $ServicesProvider
```

Starts the deletion/unregistration of the specified Azure Site Recovery services provider and returns the ASR job used to track the operation.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.recoveryservices/remove-azrecoveryservicesasrservicesprovider>

Get-AzRecoveryServicesAsrServicesProvider

Update-AzRecoveryServicesAsrServicesProvider