



Windows PowerShell Get-Help on Cmdlet 'Remove-AzRecoveryServicesAsrvCenter'

PS:\>Get-HELP Remove-AzRecoveryServicesAsrvCenter -Full

NAME

Remove-AzRecoveryServicesAsrvCenter

SYNOPSIS

Removes the vCenter server from the ASR fabric and stops discovery of virtual machines from the vCenter server.

SYNTAX

Remove-AzRecoveryServicesAsrvCenter [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Fabric

<Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRFabric> -Name <System.String> [-Confirm] [-WhatIf]

[<CommonParameters>]

Remove-AzRecoveryServicesAsrvCenter [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputObject

<Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRvCenter> [-Confirm] [-WhatIf] [<CommonParameters>]

Remove-AzRecoveryServicesAsrvCenter [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -ResourceId

<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The `Remove-AzRecoveryServicesAsrvCenter` cmdlet removes the vCenter server from the ASR fabric and stops discovery of virtual machines from the vCenter server.

PARAMETERS

`-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>`

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

`-Fabric <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRFabric>`

ASR fabric object representing the Configuration Server.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

`-InputObject <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRvCenter>`

ASR vCenter object representing the vCenter server to be removed.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <System.String>

Name of the vCenter Server.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceId <System.String>

Specifies the resourceId of vCenter to remove.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRvCenter

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRFabric

OUTPUTS

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRJob

NOTES

`Remove-AzRecoveryServicesAsrvCenter -InputObject $vCenter`

Removes the vCenter server from the ASR fabric.

----- Example 2 -----

`Remove-AzRecoveryServicesAsrvCenter -Fabric $Fabric -Name 'V2VM'`

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.recoveryservices/remove-azrecoveryservicesasrvcenter>