



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Remove-AzRouteServer'

PS:\>Get-HELP Remove-AzRouteServer -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

Remove-AzRouteServer

SYNOPSIS

Deletes an Azure RouteServer.

SYNTAX

Remove-AzRouteServer	[-AsJob]	[-DefaultProfile
----------------------	----------	------------------

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer> [-Force] -InputObject

<Microsoft.Azure.Commands.Network.Models.PSRouteServer> [-PassThru] [-Confirm] [-WhatIf] [<CommonParameters>]

Remove-AzRouteServer	[-AsJob]	[-DefaultProfile
----------------------	----------	------------------

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer> [-Force] [-PassThru]

-ResourceGroupName <System.String> -RouteServerName <System.String> [-Confirm] [-WhatIf]

[<CommonParameters>]

Remove-AzRouteServer

[-AsJob]

[-DefaultProfile]

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer> [-Force] [-PassThru]

-ResourceId <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The Remove-AzRouteServer cmdlet deletes an Azure RouteServer

PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Do not ask for confirmation if you want to overwrite a resource

Required? false

Page 2/6

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.Network.Models.PSRouteServer>

The route server input object.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Returns an object representing the item on which this operation is being performed.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name of the route server.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceId <System.String>

The route server resource Id.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-RouteServerName <System.String>

The name of the route server.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.Network.Models.PSRouteServer

OUTPUTS

System.Boolean

NOTES

----- Example 1 -----

Remove-AzRouteServer -ResourceGroupName routeServerRG -RouteServerName routeServer

----- Example 2 -----

```
$routeServerId =  
'/subscriptions/8c992d64-fce9-426d-b278-85642dfeab03/resourceGroups/routeServerRG/providers/Microsoft.Network/virtua  
lHubs/routeServer'  
Remove-AzRouteServer -ResourceId $routeServerId
```

----- Example 3 -----

```
$routeServer = Get-AzRouteServer -ResourceGroupName routeServerRG -RouteServerName routeServer  
Remove-AzRouteServer -InputObject $routeServer
```

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.network/remove-azrouteserver>