



Windows PowerShell Get-Help on Cmdlet 'Remove-AzRoutingIntent'

PS:\>Get-HELP Remove-AzRoutingIntent -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

Remove-AzRoutingIntent

SYNOPSIS

Delete a routing intent resource associated with a VirtualHub.

SYNTAX

```

Remove-AzRoutingIntent [-AsJob] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] -InputObject
<Microsoft.Azure.Commands.Network.Models.PSRoutingIntent> [-PassThru] [-Confirm] [-WhatIf]
[<CommonParameters>]

```

```

Remove-AzRoutingIntent [-AsJob] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] -Name
<System.String> -ParentResourceName <System.String> [-PassThru] -ResourceGroupName <System.String> [-Confirm]

```

[-WhatIf] [<CommonParameters>]

Remove-AzRoutingIntent

[-AsJob]

[-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] -Name

<System.String> -ParentObject <Microsoft.Azure.Commands.Network.Models.PSVirtualHub> [-PassThru] [-Confirm]

[-WhatIf] [<CommonParameters>]

Remove-AzRoutingIntent

[-AsJob]

[-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] [-PassThru]

-ResourceId <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

Deletes the specified routing intent that is associated with the specified virtual hub.

PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Do not ask for confirmation if you want to overwrite a resource

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.Network.Models.PSRoutingIntent>

The RoutingIntent resource to remove.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <System.String>

The resource name.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ParentObject <Microsoft.Azure.Commands.Network.Models.PSVirtualHub>

The parent virtual hub object of this resource.

Required? true

Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ParentResourceName <System.String>

The parent resource name.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Returns an object representing the item on which this operation is being performed.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ResourceId <System.String>

The resource id of the RoutingIntent resource to remove.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	True (ByPropertyName)
Accept wildcard characters?	false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

Microsoft.Azure.Commands.Network.Models.PSVirtualHub

Microsoft.Azure.Commands.Network.Models.PSRoutingIntent

System.String

OUTPUTS

System.Boolean

NOTES

----- Example 1 -----

```
$testRoutingIntent = Get-AzRoutingIntent -ResourceGroupName "testRg" -VirtualHubName "testHub" -Name  
"testRoutingIntent"
```

```
Remove-AzRoutingIntent -ResourceGroupName "testRg" -VirtualHubName "testHub" -Name "testRoutingIntent"
```

This command deletes the routing intent of the virtual hub.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.network/remove-azroutingintent>

Get-AzRoutingIntent

New-AzRoutingIntent

Set-AzRoutingIntent