



Windows PowerShell Get-Help on Cmdlet 'Remove-AzSecurityAssessment'

PS:\>Get-HELP Remove-AzSecurityAssessment -Full

NAME

Remove-AzSecurityAssessment

SYNOPSIS

Deletes a security assessment result from a subscription.

SYNTAX

```
Remove-AzSecurityAssessment [-AssessedResourceId <System.String>] [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name
    <System.String> [-PassThru] [-Confirm] [-WhatIf] [<CommonParameters>]
```



```
Remove-AzSecurityAssessment [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputObject
    <Microsoft.Azure.Commands.Security.Models.Assessments.PSSecurityAssessment> [-PassThru] [-Confirm] [-WhatIf]
    [<CommonParameters>]
```

```
Remove-AzSecurityAssessment [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name <System.String>
```

[-PassThru] [-Confirm] [-WhatIf] [<CommonParameters>]

Remove-AzSecurityAssessment

[-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

[-PassThru]

-ResourceId

<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

Deletes a security assessment result from a subscription, usually used when a resource is deleted or when the assessment is not relevant for a specific resource anymore

PARAMETERS

-AssessedResourceId <System.String>

Full resource ID of the resource that the assessment is calculated on.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.Security.Models.Assessments.PSSecurityAssessment>

Input Object.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <System.String>

Resource name.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Return whether the operation was successful.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ResourceId <System.String>

ID of the security resource that you want to invoke the command on.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

System.String

OUTPUTS

System.Boolean

NOTES

----- Example 1 -----

```
Remove-AzSecurityAssessment -Name 4FB6C0A0-1137-42C7-A1C7-4BD37C91DE8D
```

Deletes an assessment result on a subscription

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.security/Remove-AzSecurityAssessment>