



Windows PowerShell Get-Help on Cmdlet 'Remove-AzSecurityContact'

PS:\>Get-HELP Remove-AzSecurityContact -Full

NAME

Remove-AzSecurityContact

SYNOPSIS

Deletes a security contact.

SYNTAX

```

Remove-AzSecurityContact [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputObject
<Microsoft.Azure.Commands.Security.Models.SecurityContacts.PSSecurityContact> [-PassThru] [-Confirm] [-WhatIf]
[<CommonParameters>]

```

```

Remove-AzSecurityContact [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name <System.String>
[-PassThru]
[-Confirm] [-WhatIf] [<CommonParameters>]

```

```

Remove-AzSecurityContact [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

```

-ResourceId

<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

Deletes a security contact.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.Security.Models.SecurityContacts.PSSecurityContact>

Input Object.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <System.String>

Resource name.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Return whether the operation was successful.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ResourceId <System.String>

Resource ID.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

System.String

Microsoft.Azure.Commands.Security.Models.SecurityContacts.PSSecurityContact

OUTPUTS

System.Boolean

NOTES

----- Example 1 -----

Remove-AzSecurityContact -Name "default1"

Deletes the "default1" security contact

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.security/Remove-AzSecurityContact>