



Windows PowerShell Get-Help on Cmdlet 'Remove-AzServiceFabricApplication'

PS:\>Get-HELP Remove-AzServiceFabricApplication -Full

NAME

Remove-AzServiceFabricApplication

SYNOPSIS

Remove an application from the cluster. This will remove all the services under the application. Only supports ARM deployed applications.

SYNTAX

```
Remove-AzServiceFabricApplication [-ResourceGroupName] <System.String> [-ClusterName] <System.String> [-Name]
<System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] [-PassThru]
[-Confirm] [-WhatIf] [<CommonParameters>]
```

```
Remove-AzServiceFabricApplication [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] -InputObject
<Microsoft.Azure.Commands.ServiceFabric.Models.PSApplication> [-PassThru] [-Confirm] [-WhatIf]
[<CommonParameters>]
```

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] [-PassThru]
-ResourceId <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

This cmdlet removes an application from the cluster. This will remove all the services, if any, under the application resource.

PARAMETERS

-ClusterName <System.String>

Specify the name of the cluster.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Remove without prompt.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.ServiceFabric.Models.PSApplication>

The application resource.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <System.String>

Specify the name of the application.

Required? true

Position? 2

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Returns \$True if the command succeeds and \$False if it fails. By default, this cmdlet does not return any output.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Specify the name of the resource group.

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-ResourceId <System.String>

Arm ResourceId of the application.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

System.String

Microsoft.Azure.Commands.ServiceFabric.Models.PSApplication

OUTPUTS

System.Boolean

NOTES

----- Example 1 -----

```
$resourceGroupName = "testRG"
```

```
$clusterName = "testCluster"
```

```
$appName = "testApp"
```

```
Remove-AzServiceFabricApplication -ResourceGroupName $resourceGroupName -ClusterName $clusterName -Name $appName
```

This example removes the application "testApp" under the resource group "testRG" and cluster "testCluster".

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.servicefabric/remove-azservicefabricapplication>