



Windows PowerShell Get-Help on Cmdlet 'Remove-AzServiceFabricManagedCluster'

PS:\>Get-HELP Remove-AzServiceFabricManagedCluster -Full

NAME

Remove-AzServiceFabricManagedCluster

SYNOPSIS

Remove cluster resource.

SYNTAX

Remove-AzServiceFabricManagedCluster [-InputObject]

<Microsoft.Azure.Commands.ServiceFabric.Models.PSManagedCluster> [-AsJob] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru]

[-Confirm] [-WhatIf] [<CommonParameters>]

Remove-AzServiceFabricManagedCluster [-ResourceGroupName] <System.String> [-Name] <System.String> [-AsJob]

[-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru]

[-Confirm] [-WhatIf] [<CommonParameters>]

Remove-AzServiceFabricManagedCluster [-ResourceId] <System.String> [-AsJob] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru]

[-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

Remove cluster this will remove the node types under the cluster too.

PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background and return a Job to track progress.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.ServiceFabric.Models.PSManagedCluster>

Managed Cluster resource

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <System.String>

Specify the name of the cluster.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

{{ Fill PassThru Description }}

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Specify the name of the resource group.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceId <System.String>

Managed Cluster resource id

Required? true

Position? 0
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

System.String

OUTPUTS

System.Boolean

NOTES

----- Example 1 -----

```
$rgName = "testRG"
```

```
$clusterName = "testCluster"
```

```
Remove-AzServiceFabricManagedCluster -ResourceGroupName sfmcalsantamps -ClusterName sfmcalsantamps
```

Remove cluster.

----- Example 2 -----

```
$rgName = "testRG"
```

```
$clusterName = "testCluster"
```

```
$cluster = Get-AzServiceFabricManagedCluster -ResourceGroupName $rgName -Name $clusterName
```

```
$cluster | Remove-AzServiceFabricManagedCluster
```

Remove cluster, with piping.

