



Windows PowerShell Get-Help on Cmdlet 'Remove-AzServiceFabricManagedClusterClientCertificate'

PS:\>Get-HELP Remove-AzServiceFabricManagedClusterClientCertificate -Full

NAME

Remove-AzServiceFabricManagedClusterClientCertificate

SYNOPSIS

Remvoe client certificate by thumbprint or common name.

SYNTAX

```

Remove-AzServiceFabricManagedClusterClientCertificate [-ResourceGroupName] <System.String> [-Name]
<System.String> [-AsJob] -CommonName <System.String>
[-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-PassThru] [-Confirm] [-WhatIf] [<CommonParameters>]

Remove-AzServiceFabricManagedClusterClientCertificate [-InputObject]
<Microsoft.Azure.Commands.ServiceFabric.Models.PSManagedCluster> [-AsJob] -CommonName
<System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru] [-Confirm]
[-WhatIf]
[<CommonParameters>]

```

<Microsoft.Azure.Commands.ServiceFabric.Models.PSManagedCluster> [-AsJob] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru]

-Thumbprint <System.String> [-Confirm] [-WhatIf]

[<CommonParameters>]

Remove-AzServiceFabricManagedClusterClientCertificate [-ResourceGroupName] <System.String> [-Name]

<System.String> [-AsJob] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru]

-Thumbprint <System.String> [-Confirm] [-WhatIf]

[<CommonParameters>]

DESCRIPTION

Remove client certificate by thumbprint or common name.

PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background and return a Job to track progress.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-CommonName <System.String>

Client certificate common name.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.ServiceFabric.Models.PSManagedCluster>

Managed cluster resource

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <System.String>

Specify the name of the cluster.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

{{ Fill PassThru Description }}

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-ResourceGroupName <System.String>

Specify the name of the resource group.

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Thumbprint <System.String>

Client certificate thumbprint.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

Microsoft.Azure.Commands.ServiceFabric.Models.PSManagedCluster

NOTES

----- Example 1 -----

\$rgName = "testRG"

```
$clusterName = "testCluster"
```

```
Remove-AzServiceFabricManagedClusterClientCertificate -ResourceGroupName $rgName -Name $clusterName  
-CommonName 'Contoso.com'
```

Remove client certificate by common name.

----- Example 2 -----

```
$rgName = "testRG"
```

```
$clusterName = "testCluster"
```

```
Remove-AzServiceFabricManagedClusterClientCertificate -ResourceGroupName $rgName -Name $clusterName  
-Thumbprint 5F3660C715EBBDA31DB1FFDCF508302348DE8E7A
```

Remove client certificate by thumbprint.

----- Example 3 -----

```
$rgName = "testRG"
```

```
$clusterName = "testCluster"
```

```
$cluster = Get-AzServiceFabricManagedCluster -ResourceGroupName $rgName -Name $clusterName
```

```
$cluster | Remove-AzServiceFabricManagedClusterClientCertificate -Thumbprint  
5F3660C715EBBDA31DB1FFDCF508302348DE8E7A
```

Remove client certificate by thumbprint, with piping.

RELATED LINKS

Online

Version:

