



Windows PowerShell Get-Help on Cmdlet 'Remove-AzSqlDatabase'

PS:\>Get-HELP Remove-AzSqlDatabase -Full

NAME

Remove-AzSqlDatabase

SYNOPSIS

Removes an Azure SQL database.

SYNTAX

Remove-AzSqlDatabase [-ResourceGroupName] <System.String> [-ServerName] <System.String> [-DatabaseName] <System.String> [-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The Remove-AzSqlDatabase cmdlet removes an Azure SQL database. This cmdlet is also supported by the SQL Server Stretch Database service on Azure.

PARAMETERS

-DatabaseName <System.String>

Specifies the name of the database that this cmdlet removes.

Required? true

Position? 2

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Forces the command to run without asking for user confirmation.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Specifies the name of the Azure resource group to which the database is assigned.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ServerName <System.String>

Specifies the name of the server that hosts the database.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters](https://go.microsoft.com/fwlink/?LinkID=113216) (https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

System.String

OUTPUTS

Microsoft.Azure.Commands.Sql.Database.Model.AzureSqlDatabaseModel

NOTES

---- Example 1: Remove a database from an Azure SQL server ----

```
Remove-AzSqlDatabase -ResourceGroupName "ResourceGroup01" -ServerName "Server01" -DatabaseName  
"Database01"
```

This command removes the database named Database01 from server Server01.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.sql/remove-azsqldatabase>

Get-AzSqlDatabase

New-AzSqlDatabase

Resume-AzSqlDatabase

Set-AzSqlDatabase

Suspend-AzSqlDatabase

SQL Database Documentation <https://learn.microsoft.com/azure/sql-database/>