



Windows PowerShell Get-Help on Cmdlet 'Remove-AzSqlDatabaseAudit'

PS:\>Get-HELP Remove-AzSqlDatabaseAudit -Full

NAME

Remove-AzSqlDatabaseAudit

SYNOPSIS

Removes the auditing settings of an Azure SQL database.

SYNTAX

```
Remove-AzSqlDatabaseAudit [-ResourceGroupName] <System.String> [-ServerName] <System.String>
[-DatabaseName] <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]
[<CommonParameters>]
```

```
Remove-AzSqlDatabaseAudit -DatabaseObject
<Microsoft.Azure.Commands.Sql.Database.Model.AzureSqlDatabaseModel> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]
[<CommonParameters>]
```

The Remove-AzSqlDatabaseAudit cmdlet removes the auditing settings of an Azure SQL database. To use the cmdlet, use the ResourceGroupName , ServerName , and DatabaseName parameters to identify the database.

PARAMETERS

-DatabaseName <System.String>

SQL Database name.

Required? true

Position? 2

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DatabaseObject <Microsoft.Azure.Commands.Sql.Database.Model.AzureSqlDatabaseModel>

The database object to manage its audit policy.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

The name of the resource group.

Required? true

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ServerName <System.String>

SQL server name.

Required? true

Position? 1

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters](https://go.microsoft.com/fwlink/?LinkID=113216) (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.Sql.Database.Model.AzureSqlDatabaseModel

OUTPUTS

System.Boolean

NOTES

Example 1: Remove the auditing settings of an Azure SQL database

```
Remove-AzSqlDatabaseAudit -ResourceGroupName "ResourceGroup01" -ServerName "Server01" -DatabaseName "Database01"
```

Example 2: Remove, through pipeline, the auditing settings of an Azure SQL database

```
Get-AzSqlDatabase -ResourceGroupName "ResourceGroup01" -ServerName "Server01" -DatabaseName "Database01"  
| Remove-AzSqlDatabaseAudit
```

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.sql/Remove-AzSqlDatabaseAudit>