



## ***Windows PowerShell Get-Help on Cmdlet 'Remove-AzSqlDatabaseFailoverGroup'***

***PS:\>Get-HELP Remove-AzSqlDatabaseFailoverGroup -Full***

### NAME

Remove-AzSqlDatabaseFailoverGroup

### SYNOPSIS

Removes an Azure SQL Database Failover Group.

### SYNTAX

```
Remove-AzSqlDatabaseFailoverGroup [-ResourceGroupName] <System.String> [-ServerName] <System.String>
[-FailoverGroupName] <System.String> [-DefaultProfile]
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer> [-Force] [-Confirm]
[-WhatIf] [<CommonParameters>]
```

### DESCRIPTION

This command removes the Failover Group with the specified name, leaving all databases and replication relationships intact. The listener endpoint will be unregistered from DNS. The Failover Group's primary server should be used to execute the command.

## PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-FailoverGroupName <System.String>

The name of the Azure SQL Database Failover Group to remove.

Required? true

Position? 2

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Skip confirmation message for performing the action.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

The name of the resource group.

Required? true

Position? 0

Default value           None

Accept pipeline input?    True (ByPropertyName)

Accept wildcard characters? false

**-ServerName <System.String>**

The name of the primary Azure SQL Database Server of the Failover Group.

Required?                true

Position?                1

Default value           None

Accept pipeline input?    True (ByPropertyName)

Accept wildcard characters? false

**-Confirm <System.Management.Automation.SwitchParameter>**

Prompts you for confirmation before running the cmdlet.

Required?                false

Position?                named

Default value           False

Accept pipeline input?    False

Accept wildcard characters? false

**-WhatIf <System.Management.Automation.SwitchParameter>**

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?                false

Position?                named

Default value           False

Accept pipeline input?    False

Accept wildcard characters? false

**<CommonParameters>**

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,  
OutBuffer, PipelineVariable, and OutVariable. For more information, see  
about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

## INPUTS

System.String

## OUTPUTS

Microsoft.Azure.Commands.Sql.FailoverGroup.Model.AzureSqlFailoverGroupModel

## NOTES

----- Example 1 -----

```
Remove-AzSqlDatabaseFailoverGroup -ResourceGroupName rg -ServerName primaryserver -FailoverGroupName fg
```

Remove a Failover Group.

## RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.sql/remove-azsqldatabasefailovergroup>

New-AzSqlDatabaseFailoverGroup

Set-AzSqlDatabaseFailoverGroup

Get-AzSqlDatabaseFailoverGroup

Add-AzSqlDatabaseToFailoverGroup

Remove-AzSqlDatabaseFromFailoverGroup

Switch-AzSqlDatabaseFailoverGroup

SQL Database Documentation <https://learn.microsoft.com/azure/sql-database/>