



Windows PowerShell Get-Help on Cmdlet 'Remove-AzSqlDatabaseRestorePoint'

PS:\>Get-HELP Remove-AzSqlDatabaseRestorePoint -Full

NAME

Remove-AzSqlDatabaseRestorePoint

SYNOPSIS

Removes given restore point from a SQL Database.

SYNTAX

```
Remove-AzSqlDatabaseRestorePoint [-ResourceGroupName] <System.String> [-ServerName] <System.String>
[-DatabaseName] <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru]
-RestorePointCreationDate <System.DateTime> [-Confirm]
[-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Remove-AzSqlDatabaseRestorePoint cmdlet removes given restore point from Azure SQL Database. This cmdlet is currently supported by the SQL Server Datawarehouse service on Azure SQL Database.

PARAMETERS

-DatabaseName <System.String>

Specifies the name of the SQL Database.

Required? true

Position? 2

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

{{Fill PassThru Description}}

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Specifies the name of the resource group to which the SQL Database is assigned.

Required? true

Position? 0
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-RestorePointCreationDate <System.DateTime>

Specifies the restore point creation date.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-ServerName <System.String>

Specifies the name of the AzureSQL Server that hosts the database.

Required? true
Position? 1
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters](https://go.microsoft.com/fwlink/?LinkID=113216) (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.DateTime

System.String

OUTPUTS

Microsoft.Azure.Commands.Sql.Backup.Model.AzureSqlDatabaseRestorePointModel

NOTES

```
$RestorePointCreationDate = Get-Date "3/11/2017 1:50:00 AM"
```

```
Remove-AzSqlDatabaseRestorePoint -ResourceGroupName "ResourceGroup01" -ServerName "Server01"  
-DatabaseName "Database01" -RestorePointCreationDate  
$RestorePointCreationDate
```

This command removes a restore point for Azure SQL Database given creation date.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.sql/remove-azsqldatabaserestorepoint>