



Windows PowerShell Get-Help on Cmdlet 'Remove-AzSqlElasticJobTarget'

PS:\>Get-HELP Remove-AzSqlElasticJobTarget -Full

NAME

Remove-AzSqlElasticJobTarget

SYNOPSIS

Removes the target from the target group

SYNTAX

```
Remove-AzSqlElasticJobTarget [-ResourceGroupName] <System.String> [-AgentServerName] <System.String>
[-AgentName] <System.String> [-TargetGroupName] <System.String>
                                -DatabaseName <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -ServerName
<System.String>
[-Confirm] [-WhatIf] [<CommonParameters>]
```

```
Remove-AzSqlElasticJobTarget [-ResourceGroupName] <System.String> [-AgentServerName] <System.String>
[-AgentName] <System.String> [-TargetGroupName] <System.String>
                                [-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-ElasticPoolName <System.String>] [-RefreshCredentialName
<System.String>] -ServerName <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]
```

```

Remove-AzSqlElasticJobTarget [-ResourceGroupName] <System.String> [-AgentServerName] <System.String>
[-AgentName] <System.String> [-TargetGroupName] <System.String>
                                -DatabaseName <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-RefreshCredentialName
<System.String>] -ServerName <System.String> -ShardMapName <System.String> [-Confirm] [-WhatIf]
[<CommonParameters>]

```

```

Remove-AzSqlElasticJobTarget [-ParentObject]
<Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobTargetGroupModel> -DatabaseName
<System.String>
[-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
-ServerName <System.String> [-Confirm] [-WhatIf]
[<CommonParameters>]

```

```

Remove-AzSqlElasticJobTarget [-ParentObject]
<Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobTargetGroupModel> -DatabaseName
<System.String>
[-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-RefreshCredentialName <System.String>] -ServerName
<System.String> -ShardMapName <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

```

```

Remove-AzSqlElasticJobTarget [-ParentResourceId] <System.String> -DatabaseName <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -ServerName
<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

```

```

Remove-AzSqlElasticJobTarget [-ParentResourceId] <System.String> -DatabaseName <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-RefreshCredentialName <System.String>] -ServerName <System.String>
-ShardMapName <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

```

```
<Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobTargetGroupModel> [-DefaultProfile  
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-ElasticPoolName  
<System.String>] [-RefreshCredentialName <System.String>]  
-ServerName <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]
```

```
Remove-AzSqlElasticJobTarget [-ParentResourceId] <System.String> [-DefaultProfile  
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-ElasticPoolName  
<System.String>] [-RefreshCredentialName <System.String>]  
-ServerName <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Remove-AzSqlElasticJobTarget cmdlet removes a target resource to a target group

PARAMETERS

-AgentName <System.String>

SQL Database Agent Name.

Required?	true
-----------	------

Position?	2
-----------	---

Default value	None
---------------	------

Accept pipeline input?	False
------------------------	-------

Accept wildcard characters?	false
-----------------------------	-------

-AgentServerName <System.String>

SQL Database Agent Server Name.

Required?	true
-----------	------

Position?	1
-----------	---

Default value	None
---------------	------

Accept pipeline input?	False
------------------------	-------

Accept wildcard characters?	false
-----------------------------	-------

-DatabaseName <System.String>

Database Target Name

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ElasticPoolName <System.String>

Elastic Pool Target Name

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ParentObject <Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobTargetGroupModel>

The target group object.

Required? true

Position? 0

Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-ParentResourceId <System.String>

The target group resource id.

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-RefreshCredentialName <System.String>

Refresh Credential Name

Required? false
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ResourceGroupName <System.String>

Resource Group Name

Required? true
Position? 0
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ServerName <System.String>

Server Target Name

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-ShardMapName <System.String>

Shard Map Target Name

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-TargetGroupName <System.String>

SQL Database Agent Name.

Required? true
Position? 3
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobTargetGroupModel

OUTPUTS

Microsoft.Azure.Management.Sql.Models.JobTarget

NOTES

----- Example 1: Remove a server target -----

```
$tg = Get-AzSqlElasticJobTargetGroup -ResourceGroupName rg -ServerName elasticjobserver -Name tg1
$tg | Remove-AzSqlElasticJobTarget -ServerName s1 -RefreshCredentialName cred1
```

TargetGroupName TargetType TargetServerName TargetDatabaseName TargetElasticPoolName TargetShardMapName
RefreshCredentialName MembershipType

tg1	SqlServer	s1		cred1	Include	

----- Example 2: Remove a database target -----

```
$tg = Get-AzSqlElasticJobTargetGroup -ResourceGroupName rg -ServerName elasticjobserver -Name tg1
$tg | Remove-AzSqlElasticJobTarget -ServerName s1 -DatabaseName db2
```

TargetGroupName TargetType TargetServerName TargetDatabaseName TargetElasticPoolName
TargetShardMapName RefreshCredentialName MembershipType

tg1	SqlDatabase	s1	db2		Include	

----- Example 3: Remove an elastic pool target -----

```
$tg = Get-AzSqlElasticJobTargetGroup -ResourceGroupName rg -ServerName elasticjobserver -Name tg1
$tg | Remove-AzSqlElasticJobTarget -ServerName s1 -ElasticPoolName ep1 -RefreshCredentialName cred1
```

TargetGroupName TargetType TargetServerName TargetDatabaseName TargetElasticPoolName
TargetShardMapName RefreshCredentialName MembershipType

tg1	SqlElasticPool	s1	ep1	cred1	Include	

----- Example 4: Remove a shard map target -----

```
$tg = Get-AzSqlElasticJobTargetGroup -ResourceGroupName rg -ServerName elasticjobserver -Name tg1
```

```
$tg | Remove-AzSqlElasticJobTarget -ServerName s1 -ShardMapName sm1 -DatabaseName db1  
-RefreshCredentialName cred1
```

TargetGroupName	TargetType	TargetServerName	TargetDatabaseName	TargetElasticPoolName	TargetShardMapName	RefreshCredentialName	MembershipType
tg1	SqlShardMap	s1	db1		sm1	cred1	Include

Removes a target (server, elastic pool, database, and shard map) from a target group

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/Az.sql/remove-Azsqlelasticjobtarget>