



Windows PowerShell Get-Help on Cmdlet 'Remove-AzSqlServerAudit'

PS:\>Get-HELP Remove-AzSqlServerAudit -Full

NAME

Remove-AzSqlServerAudit

SYNOPSIS

Removes the auditing settings of an Azure SQL server.

SYNTAX

```

Remove-AzSqlServerAudit [-ResourceGroupName] <System.String> [-ServerName] <System.String> [-AsJob]
[-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]
[<CommonParameters>]

Remove-AzSqlServerAudit [-AsJob] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -ServerObject
<Microsoft.Azure.Commands.Sql.Server.Model.AzureSqlServerModel> [-Confirm] [-WhatIf] [<CommonParameters>]

```

DESCRIPTION

The Remove-AzSqlServerAudit cmdlet removes the auditing settings of an Azure SQL server. Specify the

ResourceGroupName and ServerName parameters to identify the server.

PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

The name of the resource group.

Required? true

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ServerName <System.String>

SQL server name.

Required? true

Position? 1

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ServerObject <Microsoft.Azure.Commands.Sql.Server.Model.AzureSqlServerModel>

The server object to manage its audit policy.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.Sql.Server.Model.AzureSqlServerModel

OUTPUTS

System.Boolean

NOTES

Example 1: Remove the auditing settings of an Azure SQL server

Remove-AzSqlServerAudit -ResourceGroupName "resourcegroup01" -ServerName "server01"

Example 2: Remove, through pipeline, the auditing settings of an Azure SQL server

```
Get-AzSqlServer -ResourceGroupName "ResourceGroup01" -ServerName "Server01" | Remove-AzSqlServerAudit
```

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.sql/Remove-AzSqlServerAudit>