



Windows PowerShell Get-Help on Cmdlet 'Remove-AzSqlServerOutboundFirewallRule'

PS:\>Get-HELP Remove-AzSqlServerOutboundFirewallRule -Full

NAME

Remove-AzSqlServerOutboundFirewallRule

SYNOPSIS

Deletes an allowed FQDN from the list of outbound firewall rules (Allowed FQDNs) from a SQL Database server.

SYNTAX

```
Remove-AzSqlServerOutboundFirewallRule [-ResourceGroupName] <System.String> [-ServerName] <System.String>
[-AllowedFQDN] <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] [-Confirm]
[-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Remove-AzSqlServerOutboundFirewallRule cmdlet deletes the specified allowed FQDN from the list of outbound firewall rules (Allowed FQDNs) from the specified Azure SQL Database server.

PARAMETERS

-AllowedFQDN <System.String>

Specifies the allowed fully qualified domain name (FQDN) in the list of outbound firewall rules.

Required? true

Position? 2

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Forces the command to run without asking for user confirmation.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Specifies the name of a resource group to which the server is assigned.

Required? true

Position? 0

Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-ServerName <System.String>

Specifies the name of the server.

Required? true
Position? 1
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

Microsoft.Azure.Commands.Sql.OutboundFirewallRules.Model.AzureSqlServerOutboundFirewallRulesModel

NOTES

----- Example 1: Delete a outbound firewall rule -----

```
Remove-AzSqlServerOutboundFirewallRule -ServerName "Server01" -ResourceGroupName "ResourceGroup01"  
-AllowedFQDN "OutboundFirewallRule01"
```

ResourceGroupName : ResourceGroup01

ServerName : Server01

AllowedFQDN : OutboundFirewallRule01

This command deletes an allowed FQDN named OutboundFirewallRule01 from the list of outbound firewall rules on the server named Server01.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.sql/remove-azsqlserveroutboundfirewallrule>

[Get-AzSqlServerOutboundFirewallRule](#)

[New-AzSqlServerOutboundFirewallRule](#)

SQL Database Documentation <https://learn.microsoft.com/azure/sql-database/>