



Windows PowerShell Get-Help on Cmdlet 'Remove-AzStorageCORSRule'

PS:\>Get-HELP Remove-AzStorageCORSRule -Full

NAME

Remove-AzStorageCORSRule

SYNOPSIS

Removes CORS for a Storage service.

SYNTAX

```
Remove-AzStorageCORSRule [-ServiceType] {Blob | Table | Queue | File} [-ClientTimeoutPerRequest
<System.Nullable`1[System.Int32]>] [-ConcurrentTaskCount
<System.Nullable`1[System.Int32]>] [-Context
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.IStorageContext>] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-ServerTimeoutPerRequest <System.Nullable`1[System.Int32]>]
[<CommonParameters>]
```

DESCRIPTION

The Remove-AzStorageCORSRule cmdlet removes Cross-Origin Resource Sharing (CORS) for an Azure Storage service. This cmdlet deletes all CORS rules in a Storage service

type. The types of storage services for this cmdlet are Blob, Table, Queue, and File.

PARAMETERS

-ClientTimeoutPerRequest <System.Nullable`1[System.Int32]>

Specifies the client-side time-out interval, in seconds, for one service request. If the previous call fails in the specified interval, this cmdlet retries the request. If this cmdlet does not receive a successful response before the interval elapses, this cmdlet returns an error.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-ConcurrentTaskCount <System.Nullable`1[System.Int32]>

Specifies the maximum concurrent network calls. You can use this parameter to limit the concurrency to throttle local CPU and bandwidth usage by specifying the maximum number of concurrent network calls. The specified value is an absolute count and is not multiplied by the core count. This parameter can help reduce network connection problems in low bandwidth environments, such as 100 kilobits per second. The default value is 10.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-Context <Microsoft.Azure.Commands.Common.Authentication.Abstractions.IStorageContext>

Specifies the Azure storage context. To obtain the storage context, the `New-AzStorageContext` cmdlet.

Required?	false
Position?	named

Default value None

Accept pipeline input? True (ByPropertyName, ByValue)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ServerTimeoutPerRequest <System.Nullable`1[System.Int32]>

Specifies the length of the time-out period for the server part of a request.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ServiceType <Microsoft.WindowsAzure.Commands.Storage.Common.StorageServiceType>

Specifies the Azure Storage service type for which this cmdlet removes rules. The acceptable values for this parameter are: - Blob

- Table

- Queue

- File

Required? true

Position? 0
Default value None
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

Microsoft.Azure.Commands.Common.Authentication.Abstractions.IStorageContext

OUTPUTS

System.Void

NOTES

----- Example 1: Remove CORS rules for the blob service -----

Remove-AzStorageCORSRule -ServiceType Blob

This command removes CORS rules for the Blob service type.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.storage/remove-azstoragecorsrule>

[Get-AzStorageCORSRule](#)

[Set-AzStorageCORSRule](#)