



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Remove-AzStorageContainerStoredAccessPolicy'

PS:\>Get-HELP Remove-AzStorageContainerStoredAccessPolicy -Full

NAME

Remove-AzStorageContainerStoredAccessPolicy

SYNOPSIS

Removes a stored access policy from an Azure storage container.

SYNTAX

```
Remove-AzStorageContainerStoredAccessPolicy [-Container] <System.String> [-Policy] <System.String>
[-ClientTimeoutPerRequest <System.Nullable`1[System.Int32]>]
[-ConcurrentTaskCount <System.Nullable`1[System.Int32]>] [-Context <Microsoft.Azure.Commands.Common.Authentication.Abstractions.IStorageContext>] [-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru]
[-ServerTimeoutPerRequest <System.Nullable`1[System.Int32]>]
[-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Remove-AzStorageContainerStoredAccessPolicy cmdlet removes a stored access policy from an Azure storage container.

PARAMETERS

-ClientTimeoutPerRequest <System.Nullable`1[System.Int32]>

Specifies the client-side time-out interval, in seconds, for one service request. If the previous call fails in the specified interval, this cmdlet retries the

request. If this cmdlet does not receive a successful response before the interval elapses, this cmdlet returns an error.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ConcurrentTaskCount <System.Nullable`1[System.Int32]>

Specifies the maximum concurrent network calls. You can use this parameter to limit the concurrency to throttle local CPU and bandwidth usage by specifying the

maximum number of concurrent network calls. The specified value is an absolute count and is not multiplied by the core count. This parameter can help reduce

network connection problems in low bandwidth environments, such as 100 kilobits per second. The default value is 10.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Container <System.String>

Specifies the Azure storage container name.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Context <Microsoft.Azure.Commands.Common.Authentication.Abstractions.IStorageContext>

Specifies an Azure storage context. To obtain a storage context, use the New-AzStorageContext cmdlet.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName, ByValue)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Indicates that this cmdlet returns a Boolean that reflects the success of the operation. By default, this cmdlet does not return a value.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-Policy <System.String>

Specifies the name of the stored access policy that this cmdlet removes.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ServerTimeoutPerRequest <System.Nullable`1[System.Int32]>

Specifies the client-side time-out interval, in seconds, for one service request. If the previous call fails in the specified interval, this cmdlet retries the

request. If this cmdlet does not receive a successful response before the interval elapses, this cmdlet returns an error.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.Common.Authentication.Abstractions.IStorageContext

OUTPUTS

System.Boolean

NOTES

Example 1: Remove a stored access policy from a storage container

```
Remove-AzStorageContainerStoredAccessPolicy -Container "MyContainer" -Policy "Policy03"
```

This command removes an access policy named Policy03 from the stored container named MyContainer.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.storage/remove-azstoragecontainerstoredaccesspolicy>

`Get-AzStorageContainerStoredAccessPolicy`

`New-AzStorageContainerStoredAccessPolicy`

`New-AzStorageContext`

`Set-AzStorageContainerStoredAccessPolicy`