



Windows PowerShell Get-Help on Cmdlet 'Remove-AzStorageSyncCloudEndpoint'

PS:\>Get-HELP Remove-AzStorageSyncCloudEndpoint -Full

NAME

Remove-AzStorageSyncCloudEndpoint

SYNOPSIS

This command will delete the specified cloud endpoint from a sync group. Without at least one cloud endpoint, no other server endpoints in this sync group can sync.

SYNTAX

Remove-AzStorageSyncCloudEndpoint [-InputObject]

<Microsoft.Azure.Commands.StorageSync.Models.PSCloudEndpoint> [-AsJob] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] [-PassThru]

[-Confirm] [-WhatIf] [<CommonParameters>]

Remove-AzStorageSyncCloudEndpoint [-ResourceGroupName] <System.String> [-Name] <System.String>

[-StorageSyncServiceName] <System.String> [-SyncGroupName]

<System.String> [-AsJob] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] [-PassThru]

[-Confirm]

[-WhatIf] [<CommonParameters>]

Remove-AzStorageSyncCloudEndpoint [-ResourceId] <System.String> [-AsJob] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] [-PassThru]
[-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

This command will delete the specified cloud endpoint from a sync group. The Azure file share the cloud endpoint references remains untouched by this process. This

command is only intended for decommissioning. Removing a cloud endpoint is a destructive operation. Server endpoints cannot sync without at least one cloud endpoint

present. This operation should not be performed to solve sync issues. If this Azure file share is added again to the same sync group, as a cloud endpoint, it can lead

to conflict files and other unintended consequences.

PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Supply -Force to skip confirmation of this command.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.StorageSync.Models.PSCloudEndpoint>

CloudEndpoint Input Object, normally passed through the pipeline.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <System.String>

Name of the CloudEndpoint. To verify the cloud endpoint name, use the Get-AzStorageSyncCloudEndpoint cmdlet, and check the Name property of the returned object.

Required? true

Position? 1

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

In normal execution, this cmdlet returns no value on success. If you provide the PassThru parameter, then the cmdlet will write a value to the pipeline after

successful execution.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-ResourceGroupName <System.String>

Resource Group Name.

Required?	true
Position?	0
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-ResourceId <System.String>

CloudEndpoint Resource Id

Required?	true
Position?	0
Default value	None
Accept pipeline input?	True (ByPropertyName)
Accept wildcard characters?	false

-StorageSyncServiceName <System.String>

Name of theStorageSyncService.

Required?	true
Position?	1
Default value	None
Accept pipeline input?	False

Accept wildcard characters? false

-SyncGroupName <System.String>

Name of the SyncGroup.

Required? true

Position? 2

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see

about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.StorageSync.Models.PSCloudEndpoint

System.String

OUTPUTS

System.Object

NOTES

----- Example 1 -----

```
Remove-AzStorageSyncCloudEndpoint -Force -ResourceGroupName "myResourceGroup" -StorageSyncServiceName  
"myStorageSyncServiceName" -SyncGroupName "mySyncGroupName"  
-Name "myCloudEndpointName"
```

This command will remove the cloud endpoint.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/Az.storagesync/remove-Azstoragesynccloudendpoint>

