



Windows PowerShell Get-Help on Cmdlet 'Remove-AzStorageSyncServerEndpoint'

PS:\>Get-HELP Remove-AzStorageSyncServerEndpoint -Full

NAME

Remove-AzStorageSyncServerEndpoint

SYNOPSIS

This command will delete the specified server endpoint. Sync to this location will stop immediately.

SYNTAX

```

Remove-AzStorageSyncServerEndpoint [-InputObject]
<Microsoft.Azure.Commands.StorageSync.Models.PSServerEndpoint> [-AsJob] [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] [-PassThru]
[-Confirm] [-WhatIf] [<CommonParameters>]

Remove-AzStorageSyncServerEndpoint [-ResourceGroupName] <System.String> [-Name] <System.String>
[-StorageSyncServiceName] <System.String> [-SyncGroupName]
    <System.String> [-AsJob] [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] [-PassThru]
[-Confirm]
    [-WhatIf] [<CommonParameters>]

```

Remove-AzStorageSyncServerEndpoint [-ResourceId] <System.String> [-AsJob] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] [-PassThru]
[-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

Removing a server endpoint is a destructive operation. This server location will stop syncing. This operation should not be performed to solve sync issues. If this

server location (incl. it's files) is added again to the same sync group as a server endpoint, it can lead to conflict files and other unintended consequences. This

command is intended for decommissioning only.

PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Supply -Force to skip confirmation of this command.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-InputObject <Microsoft.Azure.Commands.StorageSync.Models.PSServerEndpoint>

ServerEndpoint Input Object, normally passed through the pipeline.

Required?	true
Position?	0
Default value	None
Accept pipeline input?	True (ByValue)
Accept wildcard characters?	false

-Name <System.String>

Name of the ServerEndpoint.

Required?	true
Position?	1
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-PassThru <System.Management.Automation.SwitchParameter>

In normal execution, this cmdlet returns no value on success. If you provide the PassThru parameter, then the cmdlet will write a value to the pipeline after successful execution.

Required?	false
Position?	named

Default value False
Accept pipeline input? False
Accept wildcard characters? false

-ResourceGroupName <System.String>

Resource Group Name.

Required? true
Position? 0
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ResourceId <System.String>

ServerEndpoint Resource Id

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-StorageSyncServiceName <System.String>

Name of theStorageSyncService.

Required? true
Position? 1
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-SyncGroupName <System.String>

Name of the SyncGroup.

Required? true
Position? 2
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

System.Object

NOTES

----- Example 1 -----

```
Remove-AzStorageSyncServerEndpoint -Force -ResourceGroupName "myResourceGroup" -StorageSyncServiceName  
"myStorageSyncServiceName" -SyncGroupName "mySyncGroupName"  
-Name "myServerEndpointName"
```

This command will remove the server endpoint.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.storage/remove-azstoragesyncserverendpoint>