



Windows PowerShell Get-Help on Cmdlet 'Remove-AzVirtualRouterPeer'

PS: \>Get-HELP Remove-AzVirtualRouterPeer -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

Remove-AzVirtualRouterPeer

SYNOPSIS

Removes a Peer from an Azure VirtualRouter

SYNTAX

Remove-AzVirtualRouterPeer [-AsJob] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] -InputObject

<Microsoft.Azure.Commands.Network.Models.PSVirtualRouterPeer> [-Confirm] [-WhatIf] [<CommonParameters>]

Remove-AzVirtualRouterPeer [-AsJob] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] -PeerName

<System.String> -ResourceGroupName <System.String> -VirtualRouterName <System.String> [-Confirm] [-WhatIf]

[<CommonParameters>]

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] -ResourceId
<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The Remove-AzVirtualRouterPeer cmdlet removes a VirtualRouter Peer from an Azure VirtualRouter

PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Do not ask for confirmation if you want to overwrite a resource

Required? false

Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.Network.Models.PSVirtualRouterPeer>

The virtual router peer input object.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-PeerName <System.String>

The name of the virtual router Peer.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name of the virtual router/peer.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-ResourceId <System.String>

The virtual router peer resource Id.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	True (ByPropertyName)
Accept wildcard characters?	false

-VirtualRouterName <System.String>

The virtual router where peer exists.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	True (ByPropertyName)
Accept wildcard characters?	false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.Network.Models.PSVirtualRouterPeer

OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSVirtualRouter

NOTES

----- Example 1 -----

Remove-AzVirtualRouterPeer -PeerName csr -VirtualRouterName virtualRouter -ResourceGroupName virtualRouterRG

----- Example 2 -----

```
$virtualRouterPeerId =
```

```
'/subscriptions/8c992d64-fce9-426d-b278-85642dfeab03/resourceGroups/virtualRouterRG/providers/Microsoft.Network/virtualRouters/virtualRouter/peerings/csr'
```

```
Remove-AzVirtualRouterPeer -ResourceId $virtualRouterPeerId
```

----- Example 3 -----

```
$virtualRouterPeer = Get-AzVirtualRouterPeer -ResourceGroupName virtualRouter -VirtualRouterName virtualRouter  
-PeerName csr
```

```
Remove-AzVirtualRouterPeer -InputObject $virtualRouterPeer
```

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.network/remove-azvirtualrouterpeer>