



Windows PowerShell Get-Help on Cmdlet 'Remove-FileShare'

PS:\>Get-HELP Remove-FileShare -Full

NAME

Remove-FileShare

SYNOPSIS

Removes a file share.

SYNTAX

```
Remove-FileShare [-AsJob] [-CimSession <CimSession[]>] [-Confirm] [-FileServer <CimInstance>] -Name <String[]>
[-PassThru] [-ThrottleLimit <Int32>] [-WhatIf]
[<CommonParameters>]
```

```
Remove-FileShare [-AsJob] [-CimSession <CimSession[]>] [-Confirm] -InputObject <CimInstance[]> [-PassThru]
[-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

```
Remove-FileShare [-AsJob] [-CimSession <CimSession[]>] [-Confirm] [-PassThru] [-ThrottleLimit <Int32>] -UniqueId
<String[]> [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Remove-FileShare cmdlet removes the specified file sharing access point. This operation does not delete data.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession

(<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

[Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet. The default is the current session on the local computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-FileServer <CimInstance>

Specifies a file server.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <String[]>

Specifies the name of the file share to remove.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-Uniqueid <String[]>

Specifies the unique ID of the file share to remove.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	True (ByPropertyName)
Accept wildcard characters?	false

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named

Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

NOTES

* When used in Failover Cluster, cmdlets from the Storage module operate on cluster level (all servers in the cluster).

----- Example 1: Remove a file share -----

```
PS C:\>Remove-FileShare -Name "Sales"
```

This command removes the file share named Sales so that it is not accessible over the network.

RELATED LINKS

Online

Version:

https://learn.microsoft.com/powershell/module/storage/remove-fileshare?view=windowsserver2022-ps&wt.mc_id=ps-gethelp

Debug-FileShare

Get-FileShare

New-FileShare

Set-FileShare

