



Windows PowerShell Get-Help on Cmdlet 'Remove-NetEventVmNetworkAdapter'

PS:\>Get-HELP Remove-NetEventVmNetworkAdapter -Full

NAME

Remove-NetEventVmNetworkAdapter

SYNOPSIS

Removes virtual network adapters from a provider.

SYNTAX

```
Remove-NetEventVmNetworkAdapter [-AsJob] [-CimSession <CimSession[]>] [-Confirm] -InputObject <CimInstance[]>
[-PassThru] [-ThrottleLimit <Int32>] [-WhatIf]

[<CommonParameters>]
```

```
Remove-NetEventVmNetworkAdapter [-Name] <String[]> [-AsJob] [-CimSession <CimSession[]>] [-Confirm] [-PassThru]
[-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Remove-NetEventVmNetworkAdapter cmdlet removes network adapters of a virtual machine and the settings for the adapters from a Remote Packet Capture provider.

Specify the names of the virtual network adapters, or use the InputObject parameter to specify a

NetEventVmNetworkAdapter object to remove. When you remove a virtual network adapter, the Remote Packet Capture provider no longer uses the adapter to capture event packets.

The protocol stack uses multiple layers to transmit, receive, and process network traffic as packets. The provider logs network traffic as Event Tracing for Windows (ETW) events.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession

(<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

[Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet. The default is the current session on the local computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	True (ByValue)
Accept wildcard characters?	false

-Name <String[]>

Specifies an array of names of virtual network adapters to remove.

Required?	true
Position?	0
Default value	None
Accept pipeline input?	True (ByPropertyName)
Accept wildcard characters?	false

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False

Accept wildcard characters? false

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit

applies only to the current cmdlet, not to the session or to the computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

OUTPUTS

NOTES

Example 1: Remove a virtual network adapter from the provider

```
PS C:\>New-NetEventSession -Name "NESession01"
```

```
PS C:\> Add-NetEventPacketCaptureProvider -SessionName "NESession01"
```

```
PS C:\> Add-NetEventVMNetworkAdapter -Name "LargeGuid"
```

```
PS C:\> Add-NetEventVMNetworkAdapter -Name "LargeGuid02"
```

```
PS C:\> Get-NetEventVMNetworkAdapter
```

This example removes a virtual network adapter from the Remote Packet Capture provider for a network session. After you complete these commands to configure the

network session, you can start and stop the event and packet capture for the network session by using the `Start-NetEventSession` and `Stop-NetEventSession` cmdlets.

The first command uses the `New-NetEventSession` cmdlet to create a network session named `NESession01`.

The second command uses the `Add-NetEventPacketCaptureProvider` cmdlet to add a Remote Packet Capture provider for the session named `NESession01`.

The third command uses the `Add-NetEventVmSwitch` cmdlet to add the virtual network adapter named `LargeGuid` as a filter on the Remote Packet Capture provider.

The fourth command uses the `Add-NetEventVmSwitch` cmdlet to add the virtual network adapter named `LargeGuid02` as a filter on the Remote Packet Capture provider.

The fifth command removes the virtual network adapter named `LargeGuid` from the Remote Packet Capture provider.

https://learn.microsoft.com/powershell/module/neteventpacketcapture/remove-neteventvmnetworkadapter?view=windows-server2022-ps&wt.mc_id=ps-gethelp

Get-NetEventVmNetworkAdapter

Add-NetEventVmNetworkAdapter