



Windows PowerShell Get-Help on Cmdlet 'Remove-NetEventWFPCaptureProvider'

PS:\>Get-HELP Remove-NetEventWFPCaptureProvider -Full

NAME

Remove-NetEventWFPCaptureProvider

SYNOPSIS

Removes a local or remote WFP capture provider.

SYNTAX

```
Remove-NetEventWFPCaptureProvider [-AsJob] [-CimSession <CimSession[]>] [-Confirm] -InputObject <CimInstance[]>  
[-PassThru] [-ThrottleLimit <Int32>] [-WhatIf]  
[<CommonParameters>]
```

```
Remove-NetEventWFPCaptureProvider [-SessionName] <String[]> [-AsJob] [-CimSession <CimSession[]>] [-Confirm]  
[-PassThru] [-ThrottleLimit <Int32>] [-WhatIf]  
[<CommonParameters>]
```

DESCRIPTION

The Remove-NetEventWFPCaptureProvider cmdlet removes a local or remote Windows Firewall Platform (WFP) capture provider and deletes its settings. For more information

about WFP capture providers, see the Add-NetEventWFPCaptureProvider cmdlet.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession

(<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

[Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet. The default is the current session on the local computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-SessionName <String[]>

Specifies an array of session names that are associated with the NetEventWFPCaptureProvider .

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters](https://go.microsoft.com/fwlink/?LinkID=113216) (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

NOTES

----- Example 1: Remove a WPF capture provider -----

```
PS C:\>Remove-NetEventWFPCaptureProvider -SessionName "WFPCapture"
```

This command removes the WFP capture provider for the session named WFPCapture.

RELATED LINKS

Online

Version:

https://learn.microsoft.com/powershell/module/neteventpacketcapture/remove-neteventwfpcaptureprovider?view=windowsserver2022-ps&wt.mc_id=ps-gethelp

Add-NetEventWFPCaptureProvider

Get-NetEventWFPCaptureProvider

Set-NetEventWFPCaptureProvider