



Windows PowerShell Get-Help on Cmdlet 'Remove-NetIPHttpsConfiguration'

PS:\>Get-HELP Remove-NetIPHttpsConfiguration -Full

NAME

Remove-NetIPHttpsConfiguration

SYNOPSIS

Removes an IP-HTTPS configuration profile.

SYNTAX

Remove-NetIPHttpsConfiguration [-AsJob] [-CimSession <CimSession[]>] [-Confirm] [-GPoSession <String>] [-PassThru] [-PolicyStore <String>] [-Profile <String[]>] [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]

Remove-NetIPHttpsConfiguration [-AsJob] [-CimSession <CimSession[]>] [-Confirm] -InputObject <CimInstance[]> [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The Remove-NetIPHttpsConfiguration cmdlet removes an IP-HTTPS configuration profile from a specified store.

You can specify the IP-HTTPS configuration profile to remove either by using a configuration object retrieved by the `Get-NetIPHttpsConfiguration` cmdlet or by specifying the profile name.

PARAMETERS

`-AsJob [<SwitchParameter>]`

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

`-CimSession <CimSession[]>`

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession`

(<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

`[Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet`. The default is the current session on the local computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

`-Confirm [<SwitchParameter>]`

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False
Accept pipeline input? False
Accept wildcard characters? false

-GPOMSession <String>

Specifies the Group Policy session from which to remove the configuration information.

You can use this parameter with the NetGPO cmdlets to aggregate multiple operations performed on a Group Policy Object (GPO).

You cannot use this parameter with the PolicyStore parameter.

Required? false
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

Required? false
Position? named

Default value False
Accept pipeline input? False
Accept wildcard characters? false

-PolicyStore <String>

Specifies the policy store from which to remove the configuration profile. The acceptable values for this parameter are:

- ActiveStore
- PersistentStore
- GPO

To remove the configuration profile from a GPO, specify the GPO name using the following format: Domain\GPOName
You cannot use this parameter with GPOSession .

Required? false
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Profile <String[]>

Specifies the profile name of the IP-HTTPS profile to remove.

Required? false
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit

applies only to the current cmdlet, not to the session or to the computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

None

This cmdlet accepts no input objects.

OUTPUTS

Microsoft.Management.Infrastructure.CimInstance#root\StandardCimv2\MSFT_NetIPHttpsConfiguration

The `Microsoft.Management.Infrastructure.CimInstance` object is a wrapper class that displays Windows Management Instrumentation (WMI) objects. The path after the

pound sign (`#`) provides the namespace and class name for the underlying WMI object.

When the Passthru parameter is specified, this cmdlet outputs a modified IP-HTTPS configuration object.

NOTES

----- Example 1: Remove a profile -----

```
PS C:\>Remove-NetIPHttpsConfiguration -Profile "Profile1" -PolicyStore "Domain\GPO"
```

This command removes the IP-HTTPS configuration profile named Profile1 from a GPO.

---- Example 2: Remove a profile using configuration object ----

```
PS C:\>Get-NetIPHttpsConfiguration -Profile "Profile2" -PolicyStore "Domain\GPO" | Remove-NetIPHttpsConfiguration
```

This command gets the configuration profile object with profile named profile2 on a GPO using the Get-NetIPHttpsConfiguration cmdlet, and then provides the object as

input to this cmdlet using the pipeline operator.

RELATED LINKS

Online

Version:

https://learn.microsoft.com/powershell/module/networktransition/remove-netiphttpsconfiguration?view=windowsserver2022-ps&wt.mc_id=ps-gethelp

Get-NetIPHttpsConfiguration

New-NetIPHttpsConfiguration

Rename-NetIPHttpsConfiguration

Reset-NetIPHttpsConfiguration

Set-NetIPHttpsConfiguration