



Windows PowerShell Get-Help on Cmdlet 'Remove-NetLbfoTeam'

PS:\>Get-HELP Remove-NetLbfoTeam -Full

NAME

Remove-NetLbfoTeam

SYNOPSIS

Removes the specified NIC team from the host.

SYNTAX

```
Remove-NetLbfoTeam [-AsJob] [-CimSession <CimSession[]>] [-Confirm] -InputObject <CimInstance[]> [-PassThru]
[-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

```
Remove-NetLbfoTeam [-Name] <String[]> [-AsJob] [-CimSession <CimSession[]>] [-Confirm] [-PassThru] [-ThrottleLimit
<Int32>] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Remove-NetLbfoTeam cmdlet removes the specified NIC team from the host. This cmdlet disconnects all associated team members and providers from the team. You can

specify the team to remove by using either a team object retrieved by Get-NetLbfoTeam, or by specifying a team name.

You can use Remove-NetLbfoTeam to remove all NIC teams from the server.

You need administrator privileges to use Remove-NetLbfoTeam .

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession

(<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

[Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet. The default is the current session on the local computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False
Accept pipeline input? False
Accept wildcard characters? false

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-Name <String[]>

Specifies the name of the NIC team to remove.

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit

applies only to the current cmdlet, not to the session or to the computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

None

This cmdlet takes no input objects.

OUTPUTS

None

By default, this cmdlet produces no output.

NOTES

----- Example 1: Remove a team -----

```
PS C:\> Remove-NetLbfoTeam -Name Team1
```

This command removes the team named Team1.

----- Example 2: Remove a team using a team object -----

```
PS C:\> $team = Get-NetLbfoTeam -Name Team1
```

```
PS C:\> Remove-NetLbfoTeam -InputObject $team
```

This set of commands retrieves a team object into a variable `$team` using `Get-NetLbfoTeam`, and then passes the variable to `Remove-NetLbfoTeam`.

----- Example 3: Remove all teams from the server -----

```
PS C:\> Get-NetLbfoTeam | Remove-NetLbfoTeam
```

This command retrieves all the teams from the server using `Get-NetLbfoTeam` cmdlet and then sends all the retrieved teams to `Remove-NetLbfoTeam` which removes the teams.

RELATED LINKS

Online

Version:

https://learn.microsoft.com/powershell/module/netlbfo/remove-netlbfoTeam?view=windowsserver2022-ps&wt.mc_id=ps-gethelp

Get-NetLbfoTeam

Set-NetLbfoTeam

Rename-NetLbfoTeam